PARTS MASTER

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT IDENTIFICATION AND USE

Product Name:
Product Class:
WHMIS Classification:

ATF Lubricant Not controlled.

CAS#

Supplier Name and Address:

Auto Value Associates Inc. San Antonio, TX 78216. USA Phone:800-574-5823Emergency:(506) 648-3060

< 0.10

SECTION 2 - HAZARDOUS INGREDIENTS OF MATERIALS

wt%

Hazardous Ingredients

<u>ACGIH-TLV</u> 5 ma/m³ (oil LC₅₀

LD₅₀

None

mist)

Vapour Pressure (mm @ 20°C):

SECTION 3 - PHYSICAL DATA AND CHEMICAL PROPERTIES

Form:LiquidColour:RedOdour:PetroleumSpecific Gravity @ 15°C:0.86Solubility:Negligible

SECTION 4 - FIRE AND EXPLOSION HAZARD

Flammability: ⊠Yes ☐ No Flash Point : > 212°C (COC)	Conditions: Open flame a	above flash point.	
Upper Flammable Limit: Auto Ignition Temperature: Sensitivity to Impact:	Not established. Not determined. None.	Lower Flammable Limit: TDG Flammability Classification: Sensitivity to Static Discharge:	Not established. Not classified. None.
Means of Extinction: Hazardous Combustion Products: Special Procedures:	Dry chemical, water spray (fog), foam or carbon dioxide. Hydrogen sulphide and oxides of carbon, nitrogen, sulphur and phosphorus. Water foam may cause frothing. Use water to cool exposed containers. Use self-contained breathing apparatus for fire fighting.		

SECTION 5 - REACTIVITY DATA

Stability:This product is stHazardous Polymerisation:Will not occur.Conditions to avoid:Extremely high teIncompatibility with other substances:Strong oxidising aHazardous decomposition products:Thermal decomp

This product is stable. Will not occur. Extremely high temperatures. Strong oxidising agents. Thermal decomposition from high temperature or combustion will produce hydrogen sulphide and oxides of carbon, nitrogen, sulphur and phosphorus.

SECTION 6 - TOXICOLOGICAL PROPERTIES

Route of Entry: Eye Skin Contact Skin Absorption Inhalation Ingestion

Effects of Acute Exposure: Irritation to skin and eyes. Inhalation of hot oil mist or vapours may irritate the upper respiratory tract. Effects of Chronic Exposure: Repeated or prolonged exposure may cause dermatitis and/or oil acne. Long-term intensive exposure to oil mist may cause benign lung fibrosis. No specific toxicity data but extrapolation from similar materials indicates that this product has low oral toxicity.

The information contained in this form is based on data from sources considered to be reliable but Auto Value Associates Inc. does not guarantee the accuracy or completeness thereof. The information is provided as a service to the persons purchasing or using the material to which it refers and Auto Value Associates Inc. expressly disclaims all liability for loss or damage including consequential loss or for injury to persons including death. The information shall not be reproduced, published or distributed in any manner without prior consent in writing of Auto Value Associates Inc.

LPL0040.doc rev. 00 26-09-97

PARTS MASTER

MATERIAL SAFETY DATA SHEET

Exposure Limits: Reproductive Toxicity: Irritancy of Product:	5 mg/m ³ (oil mist) Not determined. Slight.	Carcinogenicity: Teratogenicity: Mutagenicity:	Not determined. Not determined. Not determined.		
SECTION 7 - PREVENTATIVE AND CORRECTIVE MEASURES					
Personal Protective Equipment:	Gloves: Eye: Respiratory: Footwear: Clothing: Other:	Oil/Chemical resistant. Chemical safety glasses or full face NOISH respirator if mist levels are h Oil/Chemical resistant. Oil/Chemical resistant if repeated ex			
Engineering Controls: Leak and Spill Procedure: Waste Disposal: Storage Requirements Special Shipping Information:	Local exhaust at source of heated vapours. Contain spills with dikes or absorbent material. Eliminate fire hazards. Prevent from entering sewers or water courses. Vacuum liquid or transfer absorbed material into containers. Advise authorities. Follow local and governmental regulations. Not regulated as a hazardous waste. Cool, dry location. Keep containers closed. No special requirements.				

SECTION 8 - FIRST AID MEASURES

Inhalation:	Remove to fresh air or give artificial respiration. If breathing is difficult, give oxygen and seek medical attention.		
Ingestion:	Do not induce vomiting, give two glasses of water and seek medical attention.		
Eye:	Flush with water for 15 minutes.		
Skin:	Wash contaminated area with soap and water. Clean contaminated clothing before wearing again.		
General Advice:	High pressure injection under skin can be serious and requires urgent medical attention.		

SECTION 9 - PREPARATION DATE OF MSDS

MSDS Prepared by: COASTAL Blending & Packaging MSDS Date: December 12, 2012 Revision 02 **Phone:** 800-574-5823

The information contained in this form is based on data from sources considered to be reliable but Auto Value Associates Inc. does not guarantee the accuracy or completeness thereof. The information is provided as a service to the persons purchasing or using the material to which it refers and Auto Value Associates Inc. expressly disclaims all liability for loss or damage including consequential loss or for injury to persons including death. The information shall not be reproduced, published or distributed in any manner without prior consent in writing of Auto Value Associates Inc.