

I. PRODUCT AND COMPANY IDENTIFICATION

Product Name: PS DOT3 BRK FL 5G CANADA

Product Code: PS20BF5C

Supplier: Warren Distribution, Inc.

727 S. 13th Street Omaha, NE 68102

Phone Number: +01 (800) 825-1235 +01 (402) 341-9397

Emergency Phone: CHEMTREC: +1 (800) 424-9300

International: +01 (703) 527-3887

Date of Preparation: 12/31/2014 4:13:51 PM

II. HAZARDS IDENTIFICATION

Acute Health Effects:

Routes of Entry: Inhalation, Ingestion, Skin contact, Eye contact

Target Organs: Eyes, Skin, Kidneys

Inhalation: No hazard in normal industrial use.

Skin Contact: Can cause minor skin irritation, defatting, and dermatitis.

Skin Absorption: No absorption hazard in normal industrial use.

Eye Contact: Contact with the eyes may cause moderate to severe eye injury. Eye contact may result

in tearing and reddening, but not likely to permanently injure eye tissue. Temporary

vision impairment (cloudy or blurred vision) is possible.

Ingestion: No hazard in normal industrial use.

Chronic Health Effects:

Carcinogenicity: Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive No data available to indicate product or any components present at greater than 0.1%

Toxicity: may cause birth defects.

Mutagenicity: No data available to indicate product or any components present at greater than 0.1% is

mutagenic or genotoxic.

Potential Health

See Section 11 for more information.

Effects:

Medical Conditions

Aggravated by Exposure:

Skin disease including eczema and sensitization, Eye disease, Kidney disease

III. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS# | Range % |
|--|-----------|---------|
| Ethanol, 2-(2-(2-butoxyethoxy)ethoxy)- | 143-22-6 | 15 - 40 |
| Ethanol, 2-(2-(2-ethoxyethoxy)- | 112-50-5 | 10 - 30 |
| Diethylene glycol | 111-46-6 | 10 - 30 |
| Ethanol, 2-(2-(2-methoxyethoxy)- | 112-35-6 | 7 - 13 |
| Tetraethylene glycol monobutyl ether | 1559-34-8 | 5 - 10 |

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

IV. FIRST-AID MEASURES

Inhalation: This material does not present a hazard if inhaled. Remove individual to fresh air after

an airborne exposure if any symptoms develop, as a precautionary measure.

Eye Contact: Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids

often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or persists. **Ingestion:**

No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if

symptoms develop. Provide medical care provider with this SDS.

Notes to Doctor: No additional first aid information available.

V. FIRE FIGHTING MEASURES

Flammability: Combustible at elevated temperatures

Extinguishing Media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water

> or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into

the hot burning liquid.

Fire and/or Explosion

Hazards:

Material may be ignited only if preheated to temperatures above the high flash point, for

example in a fire.

Fire Fighting Methods and Protection:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

Hazardous

Carbon monoxide, Carbon dioxide, Nitrogen containing gases

Combustion Products:

VI. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Equipment: **Methods for Cleanup:** No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS. No special spill clean up considerations. Collect and discard in regular trash. Do not

flush to sewer.

VII. HANDLING AND STORAGE

Handling: Mildly irritating material. Avoid unnecessary exposure. **Storage:** Store in a cool dry place. Isolate from incompatible materials.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: No engineering controls are likely to be required to maintain operator comfort under

normal conditions of use.

Respiratory No respiratory protection required under normal conditions of use.

Protection:

Respirator Type(s): None required where adequate ventilation is provided. If airborne concentrations are

above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Eye/Face Protection: Wear chemically resistant safety glasses with side shields when handling this product.

> Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne

material. Do not wear contact lenses. Have an eye wash station available.

Skin Protection: Where use can result in skin contact, practice good personal hygiene and wear

> impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield.

Gloves: Butyl rubber, Natural latex,, Polyvinyl chloride

Chemical Name Occupational Exposure Limits Value

IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Colour: Colorless to pale yellow

Odour: Strong pH: 8.6

Solubility: Complete; 100%

Water/Oil Partition

Not determined

Coefficient:

Evaporation Rate:

Not determined

Vapor Density:

6

Vapor Pressure:

Not determined

Boiling Point (°C): 260

Freezing Point (°C): Not determined

Specific Gravity: 1.04

Bulk Density: 8.71 Lbs/Gallon

X. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to Avoid: Temperatures above the high flash point of this combustible material in combination with

sparks, open flames, or other sources of ignition. Dried product residue (can act as an

oxidizer). Impact or high temperatures can cause decomposition

Materials to Avoid: Strong acids Strong oxidizing agents

Hazardous

Aldehydes

Decomposition Products:

XI. TOXICOLOGICAL INFORMATION

Routes of Entry: Inhalation, Ingestion, Skin contact, Eye contact

Ingestion: Although this product has a low order of acute oral toxicity, aspiration of minute amounts

into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury

and possibly death.

Inhalation: No hazard in normal industrial use.

Absorption: No absorption hazard in normal industrial use.

Eye: Upon prolonged or repeated contact, can cause moderate to severe eye injury. Eye

contact may result in tearing and reddening, but not likely to permanently injure eye

tissue. Temporary vision impairment (cloudy or blurred vision) is possible.

Skin: Unlikely to cause irritation even on repeated contact.

Chemical Name LD50 and LC50

Ethanol, 2-(2-(2-butoxyethoxy)- Oral LD50 Rat 5300 mg/kg (Source: IUCLID); Dermal

LD50 Rabbit 3480 mg/kg (Source: IUCLID)

Diethylene glycol Dermal LD50 Rabbit 11890 mg/kg (Source: NLM_CIP);

Oral LD50 Rat 12565 mg/kg (Source: IUCLID)

3,6,9,12-Tetraoxahexadecan-1-ol Oral LD50 Rat 5175 mg/kg (Source: IUCLID); Dermal

LD50 Rat >4000 mg/kg (Source: IUCLID)

Target Organs: Skin, Eyes, Kidneys

Carcinogenicity: Not a carcinogen according to NTP, IARC, or OSHA.

Mutagenicity: Not known or reported to be mutagenic. No data available to indicate product or any

components present at greater than 0.1% is mutagenic or genotoxic.

ReproductiveNot known or reported to cause reproductive or developmental toxicity.

Toxicity:

That known of reported to educative of developmental toxicity.

Skin Sensitization: No data available to indicate product or components may be a skin sensitizer.

| Chemical Listed as Carcinogen or | Source Agency |
|----------------------------------|--------------------------------|
| Potential Carcinogen | |
| Not applicable | ACGIH- Threshold Limit Values- |
| | Carcinogens |
| Not applicable | IARC Carcinogen |
| Not applicable | NTP- Report on Known Human |
| | Carcinogens |

| Not applicable | NTP- Report on Reasonably Anticipated |
|----------------|---------------------------------------|
| | to be Human Carcinogens |
| Not applicable | U.S OSHA - Hazard Communication |
| | Carcinogens |

XII. ECOLOGICAL INFORMATION

Overview: This material is not expected to be harmful to the ecology.

Mobility: This material is expected to have essentially no mobility in soil. It absorbs strongly to

most soil types.

Persistence: Biodegradation, adsorption to sediment, and bioconcentration to aquatic organisms

should not be significant.

Bioconcentration: Bioconcentration is not expected to occur.

Degradability: Does not biodegrade readily.

XIII. DISPOSAL CONSIDERATIONS

Disposal of Packaging: Recycle containers whenever possible.

Disposal Methods: Dispose of according to Federal, State, Local, or Provincial regulations.

XIV. TRANSPORTATION INFORMATION

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

XV. REGULATORY INFORMATION

| Chemical Name | Regulation | CAS# | % Range | |
|-------------------|---------------------|----------|---------|--|
| None. | CERCLA RQ | | | |
| None. | SARA 313 | | | |
| None. | SARA 302-EHS | | | |
| None. | CA Prop 65 – Cancer | | | |
| None. | CA Prop 65 - Dev. | | | |
| | Toxicity | | | |
| None. | CA Prop 65 - Reprod | | | |
| | –fem | | | |
| None. | CA Prop 65 - Reprod | | | |
| | –male | | | |
| Diethylene glycol | Canadian WHMIS List | 111-46-6 | 10 - 30 | |

Inventory- U.S. TSCA: All components of this material are on the US TSCA Inventory or are exempt.

OSHA Hazard Classification: Eye irritant, Nephrotoxin - may cause kidney damage.

WHMIS Classification: D2B
Inventory- Canada Domestic Present

Substance List:

| <u>HMI</u> | S Ratings: | <u>NFP</u> | A Ratings: |
|-------------|------------|-------------|------------|
| Health: | 1 | Health: | 1 |
| Fire: | 1 | Fire: | 1 |
| Reactivity: | 0 | Reactivity: | 0 |
| DDE. | D | | |

PPE:

KEY: 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

XVI. ADDITIONAL INFORMATION

Superseded by: 9/17/2014 2:58:09 PM Revision Date: 12/31/2014 4:13:51 PM

Prepared by: TPRUETT

References: ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CFR: Code of Federal Regulations

DOT: United States Department of Transportation

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer IATA: International Air Transportation Association IDLH: Immediately Dangerous to Life or Health IMDG: International Maritime Dangerous Goods NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

RTK: Right-to-Know

SARA: Superfund Amendments and Reauthorization Act

STEL: Short-term Exposure Limit TLV: Threshold limit value

TSCA: Toxic Substances Control Act

TWA: Time weighted average

UN: United Nations

WHMIS: Workplace Hazardous Materials Information System

Disclaimer: This safety data sheet and the information it contains is offered to you in good faith as

accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made,

either expressed or implied.