## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier 1.1 Safety Repair™ Flat Tire Repair System, Slime SLX

GHS Product Identifier As Above Chemical Name Mixture As Above Trade name CAS No. Mixture EINECS No. Mixture REACH Registration No. Not available

Relevant identified uses of the substance or mixture and uses advised against 1.2

Identified use(s) Sealant - Sold as separate container or part of kit. Uses advised against Users are recommended to seek further advice.

Details of the supplier of the safety data sheet 1.3

> (United States) Company Accessories Marketing, Inc. Identification (Canada) **ITW Permatex Canada**

Address (United States) 125 Venture Drive, Suite 210, San Luis Obispo, CA 93401 USA

(Canada) 35 Brownridge Rd., Unit 1, Halton Hills ON L7G 0C6 Canada

Date: 16 November 2011

Telephone (United States) (805) 489-0490

> (905 693-8900 (Tel), (905) 864-8602 (Fax) (Canada)

E-Mail (competent person) mailto:brett@slime.com

**Emergency telephone number – ChemTel Inc.** 

Emergency Phone No. (800) 255-3924, (813) 248-0585

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

2.1.1 GHS Classifications - Hazardous according to GHS-compliant regulations in Japan, as well as

the UN model regulations. Skin Irritant 2, Eye Irritant 2, Skin Sensitizer

2.2 Label elements

**GHS Product Identifiers** 

Hazard pictogram(s) Signal word(s) WARNING

H315: Causes skin irritation. Hazard

H317: May cause an allergic skin reaction. statement(s)

H319: Causes serious eye irritation.

P281: Use personal protective equipment as required. Precautionary

statement(s) P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P304 + P341: IF INHALED: If breathing is difficult, remove victim to fresh air and keep

at rest in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other OSHA Classification (USA): Hazardous under OSHA Hazard Communication Standard -

hazards Skin sensitizer.

**HMIS:** Health – 1, Flammability – 0 Reactivity – 0

WHMIS Classification (Canada): Hazardous under WHMIS.

Classification D2B: Material with Other Toxic Effects (Irritant, Sensitizer)

2.4 **Additional Information** 

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### EC Classification No. 1272/2008/EC (GHS Classification)

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)	
Natural Latex Rubber	30-40	9006-04-6	NA	<b></b>	CLP: 3.4/1, H317
Ammonia	<0.2	7664-41-7	231-635-3		2.5/1, 2.6/2, 3.1/3 (Inhalation), 3.2/1B, 4.1/1; H221, H280, H314, H331, H400

#### 3.3 **Additional Information**

- For full text of H phrases see section 16. Non-Hazardous ingredients are not listed and make up the balance of the product.

Page: 1/6 Expiration Date: 15 November 2014

# MATERIAL SAFETY DATA SHEET

Slime SLX

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

Not a likely route of exposure. Remove patient from exposure. Keep patient at rest and give Inhalation

oxygen if breathing difficult. If symptoms develop, obtain medical attention.

Wash exposed areas with soap and warm water. In the event of irritation, seek medical advice. Skin Contact Eye Contact Remove any contact lenses. Irrigate with eyewash solution or clean water, holding the eyelids

apart, for at least 15 minutes. Obtain immediate medical attention.

Ingestion Ingestion is expected to cause irritation of the gastrointestinal tract. If swallowed, seek medical

advice immediately and show this container or label. Do not induce vomiting. Make victim drink

plenty of water.

4.2 **Most important symptoms** Acute: Irritant effect on skin and eyes.

and effects, both acute and Delayed and chronic effects: Expected to be similar to acute exposures. delayed

Multiple or prolonged contact with skin may result in chemical or allergic

Date: 16 November 2011

dermatitis.

4.3 Indication of the immediate Treat symptomatically.

medical attention and special treatment needed

**SECTION 5: FIRE-FIGHTING MEASURES** 

Combustible at fire temperatures. Acrid smoke. Not Sensitive to mechanical impact and static discharge.

Flash Point > 93.3°C / 200°F. Explosive Limits: NA Auto-Ignition Temperatures: NA

5.1 Extinguishing media

5.3

Suitable Extinguishing Media Unsuitable Extinguishing Media Extinguish preferably with dry chemical, foam or water spray.

None known.

Special hazards arising from the 5.2

substance or mixture Advice for fire-fighters Containers may rupture from exposure to high temperatures, releasing

contents that may be slippery.

A self contained breathing apparatus and suitable protective clothing

should be worn in fire conditions. Extinguish preferably with dry

chemical, foam or water spray.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective Nitrile gloves are suggested for spill cleanup. Ensure suitable personal equipment and emergency protection (including respiratory protection) during removal of spillages.

procedures

6.2 **Environmental Precautions** Environmental hazards cannot be excluded by inappropriate handling or

disposal.

6.3 Methods and material for

containment and cleaning up

Mix spilled product with sand, then shovel up into covered container. For small spills on hard surfaces, allow substance to harden, then scrape up

and discard. Do not crush aerosol cans.

6.4 Reference to other sections See Also Section 7, 8, 13.

6.5 **Additional Information** 

None

## **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe Avoid ingestion. Avoid skin and eye contact. Use only in well-ventilated areas. handling Keep away from oxidizing agents. Heating of containers may cause pressure

rise, with risk of bursting.

7.2 Conditions for safe storage, including any

incompatibilities Storage Temperature

Ambient. Not available

Incompatible materials

Can react violently if in contact with acids, and oxidizing agents.

and transport with oxidizers etc.. Do not crush or puncture cans.

7.3 Specific end use(s)

Storage Life

Consult the supplier.



Page: 2/6 Expiration Date: 15 November 2014

Gases under pressure. Do not use or store near heat or open flame. Do not store

## MATERIAL SAFETY DATA SHEET

Slime SLX

Date: 16 November 2011

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 Control parameters

## 8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Natural Latex	9006-04-6	NE	NE	NE	NE	None
Rubber		NE	NE	NE	NE	None
		20	NE	50	NE	EU OEL
Ammonia	7664-41-7	25	NE	35	NE	ACGIH
		50	NE	NE	NE	OSHA

OELs are not available for non-listed components.

#### 8.1.2 Biological limit value

Limit value type (country of origin)	SUBSTANCE.	CAS No.	Biological limit value	Note:	
No Biological Limit Values are available for this product					

#### 8.1.3 PNECs and DNELs

No PNECs or DNELs are available for this product. As with all chemical products, users are cautioned to avoid unnecessary exposures.

#### 8.2.2 Personal protection equipment

Respirators	Usually Not Needed.
Eye Protection	Safety glasses are suggested as good practice.
Gloves	Nitrile or neoprene gloves are suggested where skin contact is possible.
Body protection	Usually Not Needed.
Engineering Controls	No special controls required.
Other	Clean contaminated equipment.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 Information on basic physical and chemical properties

Appearance Liquid Green or other colors Odor Threshold (ppm) Not available Odor Ammonia Melting Point (°C) / Freezing Point (°C) < 32°F / 0°C Boiling point/boiling range (°C): > 212°F / 100°C Flash Point (°C) > 200°F / 93°C Explosive limit ranges Not Flammable Auto Ignition Temperature (°C) Not Flammable Decomposition Temperature (°C) Not available Oxidizing properties Explosive properties Not Flammable Not an Oxidizer Flammability (solid, gas) Not Flammable pH (Value)  $9.0 \pm 0.5$ Evaporation rate < Butyl Acetate Vapor Pressure (mm Hg) ~17 mm Hg (20°C/68°F)

Vapor Density (Air=1)> 1Density (g/ml)1.10 ± 0.1Solubility (Water)Partial.Solubility (Other)Not availablePartition Coefficient<br/>(n-Octanol/water)Not availableViscosity<3 mPa</td>

**9.2** Other information Volatile Organic Chemical (VOC) Content: <35% by weight.

#### **SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity** May react with incompatible materials.

10.2 Chemical stability
 10.3 Possibility of hazardous
 Stable under normal conditions. Avoid temperature extremes
 Can react violently if in contact with acids and oxidizing agents.

reactions

Page: 3/6 Expiration Date: 15 November 2014



Revision: 11.01ITW

## MATERIAL SAFETY DATA SHEET

Slime SLX

Date: 16 November 2011

**10.4 Conditions to avoid** Avoid temperature extremes

10.5 Incompatible materials
 10.6 Hazardous Decomposition
 Can react violently if in contact with acids and oxidizing agents.
 Carbon monoxide, Carbon dioxide, Nitrogen Oxides, Sulfur

**Product(s)** Oxides. Thermal decomposition will evolve irritant vapors.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

SUBSTANCE	CAS No.	LD <sub>50</sub> (Oral, Rat)	LC₅₀ (Inhalation, Rat)	LD <sub>50</sub> (Dermal, Rat)
Natural Latex Rubber	9006-04-6	NE	NE	NE
Norflurane	811-97-2	NE	567000 ppm / 4 Hours	NE
2-Butoxyethanol	111-76-2	470 mg/kg	450 ppm / 4 Hours	220 mg/kg (Rabbit)
Ammonia	7664-41-7	NE	2000 ppm / 4 Hours	NE

## 11.1 Information on toxicological effects

#### 11.1.2 Mixtures

Acute toxicity and Exposure Effects

Ingestion Harmful if swallowed. Not a likely route of exposure.

Inhalation Harmful by inhalation.

Skin Contact Causes skin irritation. Latex component may cause skin

sensitivity.

Eye Contact Causes eye irritation.

Irritation Causes irritation to eyes and skin.

Corrosivity Slight

Repeated dose toxicity Expected to be similar to single exposures. May cause

chemical or allergic dermatitis.

Carcinogenicity No data.

Mutagenicity No data.

Toxicity for reproduction No data.

Other information None

#### **SECTION 12: ECOLOGICAL INFORMATION**

**12.1 Toxicity**May cause harm to the environment; this harm is generally not

expected to be long-term.

**12.2 Persistence and degradability** Partially persistent

**12.3 Bioaccumulative potential** Particulate material may bioaccumulate with multiple spills.

**12.4 Mobility in soil** Variable mobility; dependent upon component.

12.5 Results of PBT and vPvB assessment No data.

**12.6 Other adverse effects** Environmental hazards cannot be excluded by inappropriate

handling or disposal.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1 Waste treatment methods Disposal should be in accordance with local, state or national

legislation.

13.2 Additional Information None

#### **SECTION 14: TRANSPORT INFORMATION**

Land transport (ADR/RID) (c)(d)		Land transport (Within USA) (c)(d)		
UN number	None	UN number	None	
Proper Shipping Name	None	Proper Shipping Name	None	
Transport hazard class(es)	None	Transport hazard class(es)	None	
Packing Group	None	Packing Group	None	
Hazard label(s)	None	Hazard label(s)	None	
Environmental hazards	None	Environmental hazards	None	
Special precautions for user	None	Special precautions for user	None	



11.2

Page: 4/6 Expiration Date: 15 November 2014

## MATERIAL SAFETY DATA SHEET

#### Slime SLX

Date: 16 November 2011

Sea transport (IMDG) (c)(d)	Air transport (ICAO/IATA) (c) (d)
204 transport (mi2 0) (0)(4)	, a po (10, 10, 11, 11, 1) (0) (a)

UN number None UN number None Proper Shipping Name None Proper Shipping Name None Transport hazard class(es) Transport hazard class(es) None None Packing Group None Packing Group None Marine Pollutant Environmental hazards None None Special precautions for user None Special precautions for user None

(c)- Consult with transport provider.

(d)- Check relevant regulations for Special Provisions.

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1.2 National regulations

#### **USA**

TSCA (Toxic Substance Control Act)

SARA 311/312 - Hazard Categories

All chemicals listed.

Acute Health, Pressurized

SARA 302 - Extremely Hazardous Substances Listed - None

SARA 313 - Toxic Chemicals No quantities requiring listing.

CERCLA (Comprehensive Environmental Response RQ = 24000 lbs.

Compensation and Liability Act)

CAA (Clean Air Act 1990)

CWA (Clean Water Act)

State Right to Know Lists

Proposition 65 (California)

Listed - None

Listed - None

Canada

WHMIS Classification D2B – Materials with Other Toxic Effects.

Canada (DSL/NDSL)

Canada Ingredient Disclosure List (CIDL)

Listed as required.

Listed as required.

Japan

Japan Fire Service Act Not classified as flammable/combustible, oxidizing,

or reactive.

**15.2** Chemical Safety Assessment Hazardous – Irritant, Skin sensitizer

#### **SECTION 16: OTHER INFORMATION**

# The following sections contain revisions or new statements: 1-16. LEGEND

ACGIH	American Conference of Governmental Industrial Hygienists	NA	not applicable, not available
AICS	Australian Inventory of Chemical Substances	NIOSH	National Institute for Occupational Safety and Health
ANSI	American National Standards Institute	ND	not determined
atm	atmosphere (pressure unit)	NFPA	National Fire Prevention Association
BOD	biological oxygen demand	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OC	open cup
CC	closed cup	OSHA	Occupational Safety and Health Administration
CDTA	Chemical Drug and Trafficking Act	Part	partition
COC	Cleveland Open Cup	PEL	permissible exposure limits
COD	chemical oxygen demand	ppb	parts per billion
coeff.	coefficient	PPE	personal protective equipment
CFR	Code of Federal Regulations	ppm	parts per million
CPR	cardio-pulmonary resuscitation	psi	pounds per square inch
DEA	Drug Enforcement Agency	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	RQ	Reportable quantity
DSCL	Dangerous Substances Classification and Labeling	RTK	Right to Know
FDA	Food and Drug Administration	SARA	Superfund Amendments and Reauthorization Act
HMIS	Hazardous Materials Information System	STEL	short-term exposure limit
IARC	International Agency for Research on Cancer	TCC	Tagliabue Closed Cup
IDLH	immediate danger to life or health	TDG	Transportation of Dangerous Goods
kg	kilogram	TPQ	threshold planning quantity
L	liter	TQ	threshold quantity
LC50	median lethal concentration	TSCA	Toxic Substances Control Act
LD50	median lethal dose	TWA	time-weighted average
LEL	lower explosive limit	UEL	upper explosive limit
mg	milligram	WES	Workplace Exposure Standard (New Zealand)
mL	milliliter	WHMIS	Workplace Hazardous Material Information System



Page: 5/6 Expiration Date: 15 November 2014

Revision: 11.01ITW

# MATERIAL SAFETY DATA SHEET

Slime SLX

Date: 16 November 2011

References: RTECS, CAS Registry, EINECS/ESIS, Casarett & Doull's Toxicology, Goldfranks's Toxicological

Emergencies, Manufacturer Information

#### Hazard statement(s) and Precautionary statement(s)

H221: Flammable gas.

H280: Contains gas under pressure; may explode if heated.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H331: Toxic if inhaled.

H400: Very toxic to aquatic life.

P201: Obtain special instructions before use.

P210: Keep away from heat, sparks, open flame, hot surfaces - No smoking

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P312: IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell.

P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P302 + P350: IF ON SKIN: Gently wash with plenty of soap and water.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P304 + P341: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P361: Remove/Take off immediately all contaminated clothing.

P410 + P403: Protect from sunlight. Store in a well-ventilated place.

Training advice: None

**Additional Information:** Replaces all previous editions.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. ChemTel Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. ChemTel Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



Page: 6/6 Expiration Date: 15 November 2014