Revision: 11.01ITW Date: 16 November 2011

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifiers** 1.1 Tire Sealant, Tire Sealant TPMS Safe, Smart Repair™ Tire Kit,

Moto Repair™, Slime SDS Tire Sealant

**GHS Product Identifiers** As Above **Chemical Name** Mixture Trade name As Above CAS No. Mixture EINECS No. Mixture REACH Registration No. Not available

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s) Sealant – Sold as separate container or part of kit. Uses advised against Users are recommended to seek further advice.

1.3 Details of the supplier of the safety data sheet

> Company (United States) Accessories Marketing, Inc. Identification (Canada) **ITW Permatex Canada**

Address (United States) 125 Venture Drive, Suite 210, San Luis Obispo, CA 93401 USA

> (Canada) 35 Brownridge Rd., Unit 1, Halton Hills ON L7G 0C6 Canada

(United States) (805) 489-0490 Telephone

> (Canada) (905 693-8900 (Tel), (905) 864-8602 (Fax)

E-Mail (competent person) mailto:brett@slime.com

1.4 Emergency telephone number – ChemTel Inc.

Emergency Phone No. (800) 255-3924, (813) 248-0585

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

2.1.1 GHS Classifications - Not hazardous according to GHS-compliant regulations in Japan, as well as the UN model regulations.

#### 2.2 Label elements

**GHS Product Identifiers** 

Hazard Not Hazardous Signal word(s) NONE

pictogram(s) Hazard statement(s) None Precautionary statement(s) None

2.3 Other hazards OSHA Classification (USA): Non-Hazardous under OSHA Hazard

Communication Standard.

**HMIS:** Health – 0, Flammability – 0 Reactivity – 0

WHMIS Classification (Canada): Non-Hazardous under WHMIS.

2.4 Additional Information None

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**GHS Classification** 

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
111.91.0410111(0)				

3.3 Additional Information - For full text of H phrases see section 16. Non-Hazardous ingredients are not listed and make up the balance of the product.

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

Inhalation Not a likely route of exposure. Remove patient from exposure. Keep patient at rest and give

oxygen if breathing difficult. If symptoms develop, obtain medical attention.

Skin Contact Wash exposured areas with soap and warm water. In the unlikely event of irritation, seek

medical advice.

Eye Contact Not a likely route of exposure. Remove any contact lenses. Irrigate with eyewash solution or

clean water, holding the eyelids apart, for at least 15 minutes. Obtain immediate medical

attention.

Page: 1/6 Expiration Date: 15 November 2014

### Revision: 11.01ITW MATERIAL SAFETY DATA SHEET Date: 16 November 2011

#### Slime SDS Tire Sealant

Ingestion Ingestion is expected to cause irritation of the gastrointestinal tract. If swallowed, seek

medical advice immediately and show this container or label. Do not induce vomiting. Make

victim drink plenty of water.

4.2 Most important symptoms and effects, both acute

Acute: Ingestion will cause irritation of the gastrointestinal tract. May cause

chemical and mechanical eye irritation.

and delayed

**Delayed and chronic effects:** Expected to be similar to acute exposures.

4.3 Indication of the

Treat symptomatically.

immediate medical attention and special treatment needed

#### **SECTION 5: FIRE-FIGHTING MEASURES**

Non-flammable. Acrid smoke. Not Sensitive to mechanical impact and static discharge. Flash Point > 93.3°C / 200°F. Explosive Limits: NA Auto-Ignition Temperatures: NA

5.1 Extinguishing media

Suitable Extinguishing Media Extinguish preferably with dry chemical, foam or water spray. Unsuitable Extinguishing Media None known.

5.2 Special hazards arising from the substance or mixture

Containers may rupture from exposure to high temperatures,

releasing contents that may be slippery.

5.3 Advice for fire-fighters

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Extinguish preferably with dry

chemical, foam or water spray.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions,** None.

protective equipment and emergency procedures

6.2 Environmental Precautions None

Methods and material for containment and cleaning up

Mix spilled product with sand, then shovel up into covered container. For small spills on hard surfaces, allow substance to harden, then scrape up and discard.

Reference to other sections

See Also Section 7, 8, 13.

6.4 Reference to other sect 6.5 Additional Information

6.3

None

#### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling Avoid ingestion. Use only in well-ventilated areas. Keep away from

**7.1** oxidizing agents.

7.2 Conditions for safe storage, including any incompatibilities

Do not use or store near heat or open flame. Do not store and transport with oxidizers etc.

Storage Temperature Ambient..
Storage Life Not available

Incompatible materials Can react violently if in contact with acids, and oxidizing agents.

7.3 Specific end use(s) Consult the supplier.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
No hazardous ingredients in reportable quantities under USA, Canada, EU, and UN regulations are present in this product.						

OELs are not available for non-listed components.

8.1.2 Biological limit value

Limit value type (country of origin)	SUBSTANCE.	CAS No.	Biological limit value	Note:
No hazardous ingre	edients in reportable quantities	under USA, Canad	a, EU, and UN regu	lations are present in this product.



Page: 2/6 Expiration Date: 15 November 2014

## MATERIAL SAFETY DATA SHEET

Slime SDS Tire Sealant

Date: 16 November 2011

#### 8.1.3 PNECs and DNELs

No PNECs or DNELs are available for this product. As with all chemical products, users are cautioned to avoid unnecessary exposures.

8.2.2 Personal protection equipment

	Respirators	Usually Not Needed.			
	Eye Protection	Safety glasses are suggested as good practice.			
Gloves		Protective gloves are usually not needed; if chosen, nitrile or neoprene are suggested. Latex gloves should not be worn.			
THE STATE OF THE S	Body protection	Usually Not Needed.			
	Engineering Controls	No special controls required.			
	Other	Clean contaminated equipment.			

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1 Information on basic physical and chemical properties

Appearance Paste Various Colors Odor Slight Odor Threshold (ppm) Not available Melting Point (°C) / < -30°F / -34.4°C Boiling point/boiling range (°C): > 220°F / 104.4°C Freezing Point (°C) Flash Point (°C) > 200°F / 93°C Explosive limit ranges Not Flammable Auto Ignition Not Flammable Decomposition Temperature (°C) > 302°F / 150°C Temperature (°C) Not an Oxidizer Explosive properties Not Flammable Oxidizing properties Flammability (solid, Not Flammable  $8.8 \pm 1.0$ pH (Value) gas) Vapor Pressure (mm Hg) Not available Evaporation rate < water Vapor Density (Air=1) > 1 Density (g/ml)  $1.16 \pm 0.1$ Solubility (Water) Emulsifies. Not available Solubility (Other) **Partition Coefficient** Not available Viscosity **Paste** (n-Octanol/water)

SECTION 10: STABILITY AND REACTIVITY

Volatile Organic Chemical (VOC) Content: < 5% by weight.

May react with incompatible materials.

**10.2 Chemical stability** Stable under normal conditions. Avoid temperature extremes

10.3 Possibility of hazardous reactions Can react violently if in contact with acids and oxidizing

agents.

**10.4 Conditions to avoid** Avoid temperature extremes

10.5 Incompatible materials Can react violently if in contact with acids and oxidizing

agents.

**10.6** Hazardous Decomposition Carbon monoxide, Carbon dioxide, Nitrogen Oxides, Sulfur

**Product(s)** Oxides. Thermal decomposition will evolve irritant vapors.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

SUBSTANCE.	CAS No.	LD <sub>50</sub> (Oral, Rat)	LC <sub>50</sub> (Inhalation, Rat)	LD <sub>50</sub> (Dermal, Rat)
No hazardous ingredients in reportable quantities under USA. Canada, EU, and UN regulations are present in this product.				



9.2

10.1

Other information

Reactivity

Page: 3/6 Expiration Date: 15 November 2014

## MATERIAL SAFETY DATA SHEET

Slime SDS Tire Sealant

#### 11.1 Information on toxicological effects

11.1.2 **Mixtures** 

11.2

12.5

Acute toxicity and Ingestion Not Known. Product may be irritating to

**Exposure Effects** gastrointestinal tract.

> Inhalation Not Known. Not a likely route of exposure.

Skin Contact Not Known. Prolonged contact may result in mild

Date: 16 November 2011

irritation.

Not Known. Contact may result in mechanical and Eve Contact

chemical irritation.

Irritation May cause irritation to eyes; prolonged exposure

may result in mild skin exposure.

Corrosivity None Expected.

Repeated dose toxicity Expected to be similar to single exposures.

Carcinogenicity No data. Mutagenicity No data. Toxicity for reproduction No data. Other information

## **SECTION 12: ECOLOGICAL INFORMATION**

None

12.1 **Toxicity** Not expected to be harmful to aquatic or

soil environments.

12.2 Persistence and degradability Partially persistent

12.3 Bioaccumulative potential Particulate material may bioaccumulate

with multiple spills.

12.4 Mobility in soil Variable mobility; dependent upon

> component. No data.

Results of PBT and vPvB assessment

12.6 Other adverse effects No data.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1 Waste treatment methods Disposal should be in accordance with local, state or national

legislation. Containers must not be punctured or destroyed by

burning, even when empty.

13.2 **Additional Information** None

#### **SECTION 14: TRANSPORT INFORMATION**

Land transport (ADR/RID) (c)(d) Land transport (Within USA) (c)(d)

**UN** number UN number

Proper Shipping Name Not classified as Proper Shipping Name Not classified as dangerous for

> dangerous for transport. transport.

Transport hazard class(es) None Transport hazard class(es) None Packing Group None Packing Group None Hazard label(s) None Hazard label(s) None Environmental hazards None Environmental hazards None Special precautions for user None Special precautions for user None

Air transport (ICAO/IATA) (c) (d) Sea transport (IMDG) (c)(d)

**UN** number **UN** number

Proper Shipping Name Proper Shipping Name Not classified as Not classified as dangerous for

dangerous for transport. transport.

Transport hazard class(es) Transport hazard class(es) None None Packing Group Packing Group None None Marine Pollutant None Environmental hazards None Special precautions for user None Special precautions for user None

(c)- Consult with transport provider.

(d)- Check relevant regulations for Special Provisions.



Page: 4/6 Expiration Date: 15 November 2014

## MATERIAL SAFETY DATA SHEET

Slime SDS Tire Sealant

#### **SECTION 15: REGULATORY INFORMATION**

### 15.1.2 National regulations

### **USA**

TSCA (Toxic Substance Control Act)

All chemicals listed.

SARA 311/312 - Hazard Categories None

SARA 302 - Extremely Hazardous Listed - None

Substances

SARA 313 - Toxic Chemicals Listed - None CERCLA (Comprehensive Environmental Listed - None

Response Compensation and Liability Act)

CAA (Clean Air Act 1990) Listed - None CWA (Clean Water Act) Listed - None

State Right to Know Lists Listed - None in reportable quantities.

Proposition 65 (California) Listed. - None

Canada

WHMIS Classification None

Canada (DSL/NDSL) Components Listed - DSL.

Canada Ingredient Disclosure List (CIDL) Listed – None.

Japan

Japan Fire Service Act Not classified as flammable/combustible,

oxidizing, or reactive.

Date: 16 November 2011

15.2 Chemical Safety Assessment

Not-hazardous

### **SECTION 16: OTHER INFORMATION**

# The following sections contain revisions or new statements: 1-16. LEGEND

LLOLI			
ACGIH	American Conference of Governmental Industrial Hygienists	NA	not applicable, not available
AICS	Australian Inventory of Chemical Substances	NIOSH	National Institute for Occupational Safety and Health
ANSI	American National Standards Institute	ND	not determined
atm	atmosphere (pressure unit)	NFPA	National Fire Prevention Association
BOD	biological oxygen demand	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OC	open cup
CC	closed cup	OSHA	Occupational Safety and Health Administration
CDTA	Chemical Drug and Trafficking Act	Part	partition
COC	Cleveland Open Cup	PEL	permissible exposure limits
COD	chemical oxygen demand	ppb	parts per billion
coeff.	coefficient	PPE	personal protective equipment
CFR	Code of Federal Regulations	ppm	parts per million
CPR	cardio-pulmonary resuscitation	psi	pounds per square inch
DEA	Drug Enforcement Agency	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	RQ	Reportable quantity
DSCL	Dangerous Substances Classification and Labeling	RTK	Right to Know
FDA	Food and Drug Administration	SARA	Superfund Amendments and Reauthorization Act
HMIS	Hazardous Materials Information System	STEL	short-term exposure limit
IARC	International Agency for Research on Cancer	TCC	Tagliabue Closed Cup
IDLH	immediate danger to life or health	TDG	Transportation of Dangerous Goods
kg	kilogram	TPQ	threshold planning quantity
L	liter	TQ	threshold quantity
LC50	median lethal concentration	TSCA	Toxic Substances Control Act
LD50	median lethal dose	TWA	time-weighted average
LEL	lower explosive limit	UEL	upper explosive limit
mg	milligram	WES	Workplace Exposure Standard (New Zealand)
mĹ	milliliter	WHMIS	Workplace Hazardous Material Information
			System

**References:** RTECS, CAS Registry, EINECS/ESIS, Casarett & Doull's Toxicology, Goldfranks's Toxicological Emergencies, Manufacturer Information



Page: 5/6 Expiration Date: 15 November 2014

Revision: 11.01ITW

## MATERIAL SAFETY DATA SHEET

Slime SDS Tire Sealant

Date: 16 November 2011

Hazard statement(s) and Precautionary statement(s)

None

Training advice: None

Additional Information: Replaces all previous editions for USA/Canada.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. ChemTel Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. ChemTel Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



Page: 6/6 Expiration Date: 15 November 2014