SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 **Product identifiers** Slime Quick Spair

GHS Product Identifiers As Above

Chemical Name Slime Quick Spair

Trade name As Above CAS No. Mixture EINECS No. Mixture REACH Registration No. Not available

Relevant identified uses of the substance or mixture and uses advised against 1.2

Identified use(s) Sealant - Sold as separate container or part of kit. Uses advised against Users are recommended to seek further advice.

1.3 Details of the supplier of the safety data sheet

Accessories Marketing, Inc. Company (United States)

Identification **ITW Permatex Canada** (Canada)

Address (United States) 125 Venture Drive, Suite 210, San Luis Obispo, CA 93401 USA (Canada)

35 Brownridge Rd., Unit 1, Halton Hills ON L7G 0C6 Canada

(805) 489-0490 Telephone (United States)

(905 693-8900 (Tel), (905) 864-8602 (Fax) (Canada)

E-Mail (competent person) mailto:brett@slime.com

1.4 Emergency telephone number – ChemTel Inc.

Emergency Phone No. (800) 255-3924, (813) 248-0585

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 GHS Classifications - Hazardous according to GHS-compliant regulations in Japan, as well as the UN model regulations - Compressed dissolved gas, Acute toxicity 4 (Oral), Skin Irritant 2, Eye Irritant 2.

2.2 Label elements - GHS Product Identifiers

> Hazard Signal word(s) WARNING

pictogram(s)

Hazard H280: Contains gas under pressure; may explode if heated.

H302: Harmful if swallowed. statement(s)

H315: Causes skin irritation.

H320: Causes eve irritation.

Precautionary P281: Use personal protective equipment as required.

statement(s) P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

2.3 Other OSHA Classification(USA): Non-Hazardous under OSHA Hazard Communication Standard.

HMIS: Health – 0, Flammability – 0 Reactivity – 0 hazards

WHMIS Classification (Canada): Hazardous under WHMIS.

Classification A: Compressed Gas.

Classification D2B: Material with Other Toxic Effects (Irritant)

2.4 **Additional Information** None





Date: 16 November 2011

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

GHS Classification

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
2-Butoxyethanol	10-30	111-76-2	203-905-0	3.1/4, 3.2/2, 3.3/2; H302,H312, H315, H319, H332
Norflurane	10-30	811-97-2	212-377-0	2.5/1; H280
Ethylene Glycol	1-5	107-21-1	203-473-3	3.1/4(Oral); H302
Ammonia	<0.2	7664-41-7	231-635-3	2.5/1, 2.6/2, 3.1/3 (Inhalation), 3.2/1B, 4.1/1; H221, H280, H314, H331, H400

3.3 Additional Information - For full text of H phrases see section 16. Non-Hazardous ingredients are not listed and make up the balance of the product.

> Page: 1/6 Expiration Date: 15 November 2014

MATERIAL SAFETY DATA SHEET Revision: 11.01ITW

Slime Quick Spair

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Remove patient from exposure. Keep patient at rest and give oxygen if breathing difficult.

If symptoms develop, obtain medical attention.

Skin Contact Wash exposured areas with soap and warm water. In the event of irritation, seek medical

advice. Can be absorbed through skin causing systemic harmful effects.

Remove any contact lenses. Irrigate with eyewash solution or clean water, holding the Eye Contact

eyelids apart, for at least 15 minutes. Obtain immediate medical attention.

Not a likely route of exposure. Ingestion is expected to cause irritation of the gastrointestinal tract. If swallowed, seek medical advice immediately and show this

container or label. Do not induce vomiting. Make victim drink plenty of water.

4.2 Most important symptoms and effects, both acute and

delayed

Ingestion

Acute: Can be absorbed through skin causing systemic harmful effects. May cause drowsiness and dizziness. Irritant effect on skin and eyes. Affects liver, kidneys, central nervous system when systemically

absorbed or ingested.

Delayed and chronic effects: Expected to be similar to acute exposures.

Date: 16 November 2011

Multiple or prolonged contact with skin may result in dermatitis.

4.3 Indication of the immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

Combustible at fire temperatures. Acrid smoke. Not Sensitive to mechanical impact and static discharge.

Flash Point > 93.3°C / 200°F. Auto-Ignition Temperatures: NA Explosive Limits: NA

5.1 Extinguishing media

5.3

Suitable Extinguishing Media Unsuitable Extinguishing Media Extinguish preferably with dry chemical, foam or water spray.

None known.

5.2 Special hazards arising from the substance or mixture Advice for fire-fighters

Containers may rupture from exposure to high temperatures, releasing

contents that may be slippery.

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Extinguish preferably with dry

chemical, foam or water spray.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, Nitrile gloves are suggested for spill cleanup. Ensure suitable personal protective equipment and protection (including respiratory protection) during removal of spillages. emergency procedures

6.2 **Environmental Precautions** Environmental hazards cannot be excluded by inappropriate handling

or disposal.

Methods and material for 6.3 Mix spilled product with sand, then shovel up into covered container. containment and cleaning up For small spills on hard surfaces, allow substance to harden, then

scrape up and discard.

6.4 Reference to other sections See Also Section 7, 8, 13.

6.5 **Additional Information** None

SECTION 7: HANDLING AND STORAGE

Precautions for safe Avoid ingestion. Avoid skin and eye contact. Use only in well-ventilated areas. handling

Keep away from oxidizing agents. Heating of containers may cause pressure rise,

with risk of bursting.

7.2 Gases under pressure. Do not use or store near heat or open flame. Do not store Conditions for safe and transport with oxidizers etc. storage, including

any incompatibilities

Storage Temperature Ambient.

Storage Life Not available Incompatible Can react violently if in contact with acids, and oxidizing agents.

materials 7.3 Specific end use(s) Consult the supplier.

ime

7.1

Page: 2/6 Expiration Date: 15 November 2014

MATERIAL SAFETY DATA SHEET

Slime Quick Spair

Date: 16 November 2011

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
	111-76-2	20	NE	50	NE	EU OEL
2-Butoxyethanol		20	NE	NE	NE	ACGIH TLV
		50	NE	NE	NE	OSHA PEL
Norflurane	811-97-2	1000	NE	NE	NE	UK HSE
Normane	011-91-2	1000	NE	NE	NE	Dupont AEL
Ethylene Glycol	107-21-1	20	NE	40	NE	EU OEL
Ethylerie Glycol	107-21-1	NE	100 Ceiling	NE	NE	ACGIH TLV
	7664-41-7	20	NE	50	NE	EU OEL
Ammonia		25	NE	35	NE	ACGIH
		50	NE	NE	NE	OSHA

OELs are not available for non-listed components. AEL - Acceptable Exposure Limit.

8.1.2 Biological limit value

Limit value type (country of origin)	SUBSTANCE.	CAS No.	Biological limit value	Note:
No Biological Limit Values are available for this product				

8.1.3 PNECs and DNELs

No PNECs or DNELs are available for this product. As with all chemical products, users are cautioned to avoid unnecessary exposures.

8.2.2 Personal protection equipment

	Respirators	Usually Not Needed.
	Eye Protection	Safety glasses are suggested as good practice.
	Gloves	Nitrile or neoprene gloves are suggested where skin contact is possible.
THE STATE OF THE S	Body protection	Usually Not Needed.
	Engineering Controls	No special controls required.
	Other	Clean contaminated equipment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Viscous Liquid Green Slight ammonia. Odor Threshold (ppm) Odor Not available Melting Point (°C) / Freezing Point (°C) < 32°F / 0°C Boiling point/boiling range (°C): > 212°F / 100°C Flash Point (°C) > 200°F / 93°C Explosive limit ranges Not Flammable Auto Ignition Temperature (°C) Decomposition Temperature (°C) Not Flammable Not available Explosive properties Not Flammable Oxidizing properties Not an Oxidizer Flammability (solid, gas) Not Flammable pH (Value) $10.6 \pm 0.0.8$

Evaporation rate < Butyl Acetate Vapor Pressure (mm Hg) 17 mm Hg (20 °C / 68 °F)

Vapor Density (Air=1)> 1Density (g/ml)1.10 ± 0.1Solubility (Water)Emulsifies.Solubility (Other)Not availablePartition Coefficient (n-Octanol/water)Not availableViscosity<3 mPa</td>

9.2 Other information Volatile Organic Chemical (VOC) Content: <35% by weight.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity May react with incompatible materials.

10.2 Chemical stability
 10.3 Possibility of hazardous reactions
 Stable under normal conditions. Avoid temperature extremes.
 Can react violently if in contact with acids and oxidizing agents.



Page: 3/6 Expiration Date: 15 November 2014

MATERIAL SAFETY DATA SHEET Revision: 11.01ITW

Slime Quick Spair

Conditions to avoid 10.4 Avoid temperature extremes

10.5 Incompatible materials Can react violently if in contact with acids and oxidizing agents. 10.6 **Hazardous Decomposition** Carbon monoxide, Carbon dioxide, Nitrogen Oxides, Sulfur Product(s)

Oxides. Thermal decomposition will evolve irritant vapors.

Date: 16 November 2011

SECTION 11: TOXICOLOGICAL INFORMATION

SUBSTANCE.	CAS No.	LD ₅₀ (Oral, Rat)	LC ₅₀ (Inhalation, Rat)	LD50 (Dermal, Rat)
2-Butoxyethanol	111-76-2	470 mg/kg	450 ppm / 4 Hours	220 mg/kg (Rabbit)
Norflurane	811-97-2	NE	567000 ppm / 4 Hours	NE
Ethylene Glycol	107-21-1	4700 mg/kg	200 mg/m ³ / 4 Hours	10625 mg/kg (Rabbit)
Ammonia	7664-41-7	NE	2000 ppm / 4 Hours	NE

11.1 Information on toxicological effects

11.1.2 **Mixtures**

> Acute toxicity and Harmful if swallowed. Not a likely route of exposure. Ingestion

Harmful by inhalation. Exposure Effects Inhalation

> Skin Contact Causes skin irritation. Can be absorbed through

> > skin causing systemic harmful effects.

Eye Contact Causes eye irritation.

Irritation Causes irritation to eyes and skin.

Corrosivity

Repeated dose toxicity Expected to be similar to single exposures. May

cause dermatitis.

No data. Carcinogenicity Mutagenicity No data. Toxicity for reproduction No data. Other information None

SECTION 12: ECOLOGICAL INFORMATION

12.1 May cause harm to the environment; this harm is generally **Toxicity**

not expected to be long-term.

12.2 Persistence and degradability Partially persistent

12.3 **Bioaccumulative potential** Particulate material may bioaccumulate with multiple spills.

12.4 Mobility in soil Variable mobility; dependent upon component.

12.5 Results of PBT and vPvB No data.

assessment

11.2

12.6 Other adverse effects Environmental hazards cannot be excluded by

inappropriate handling or disposal.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment Disposal should be in accordance with local, state or national legislation.

Containers must not be punctured or destroyed by burning, even when empty

13.2 Additional None

Information

methods

SECTION 14: TRANSPORT INFORMATION

Land transport (ADR/RID) (c)(d) Land transport (Within USA) (c)(d)

1950 (or ORM-D) **UN** number UN number

Proper Shipping Name Aerosols, Non-Flammable. Proper Shipping Name Aerosols, Non-Flammable / ORM-D

Transport hazard class(es) 2.2 Transport hazard class(es) 2.2 or ORM-D

Packing Group NA Packing Group NΑ

Non-Flammable Gas Hazard label(s) Hazard label(s) Non-Flammable Gas /ORM-D

Environmental hazards None Environmental hazards None Special precautions for user None Special precautions for user None



Page: 4/6 Expiration Date: 15 November 2014

Revision: 11.01ITW MATERIAL SAFETY DATA SHEET Date: 16 November 2011

Slime Quick Spair

Sea transport (IMDG) (c)(d)

Air transport (ICAO/IATA) (c) (d)

UN number 1950 UN number 1950

Proper Shipping Name Aerosols, Non-Flammable. Proper Shipping Name Aerosols, Non-Flammable.

Transport hazard class(es)2.2Transport hazard class(es)2.2Packing GroupNAPacking GroupNAMarine PollutantNoneEnvironmental hazardsNoneSpecial precautions for userNoneSpecial precautions for userNone

(c)- Consult with transport provider.

(d)- Check relevant regulations for Special Provisions.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use Consult the supplier. European Union (EINECS/ELINCS) All chemicals listed

German WGK number 2

15.1.2 National regulations

USA

TSCA (Toxic Substance Control Act)

All chemicals listed.

SARA 311/312 - Hazard Categories Acute Health, Pressurized

SARA 302 - Extremely Hazardous Listed - None

Substances

SARA 313 - Toxic Chemicals Listed - 2-Butoxyethanol (as glycol ether),

Ammonia (as ammonium hydroxide)

CERCLA (Comprehensive Environmental RQ = 1000 lbs. (454 kg) as ammonium

Response Compensation and Liability Act) hydroxide.

CAA (Clean Air Act 1990) Listed - None

CWA (Clean Water Act) Listed - None

State Right to Know Lists Listed as required.

Proposition 65 (California) Listed - None

Canada

WHMIS Classification A – Compressed Gas. D2B – Materials with

Other Toxic Effects.

Canada (DSL/NDSL) Listed as required.
Canada Ingredient Disclosure List (CIDL) Listed as required.

Japan

Japan Fire Service Act Not classified as flammable/combustible, oxidizing, or reactive.

15.2 Chemical Safety Assessment Hazardous – Harmful, Irritant, Pressurized

slime

Page: 5/6 Expiration Date: 15 November 2014

MATERIAL SAFETY DATA SHEET

Slime Quick Spair

Date: 16 November 2011

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

LEGEND

AC(GIH American Conference of Governmental Industrial Hygienists	NA	not applicable, not available
AIC		NIOSH	National Institute for Occupational Safety and Health
ANS	,	ND	not determined
atm	atmosphere (pressure unit)	NFPA	National Fire Prevention Association
BOI		NTP	National Toxicology Program
CAS		OC	open cup
CC	closed cup	OSHA	Occupational Safety and Health Administration
CD.	TA Chemical Drug and Trafficking Act	Part	partition
CO	C Cleveland Open Cup	PEL	permissible exposure limits
CO	D chemical oxygen demand	ppb	parts per billion
coe	ff. coefficient	PPE	personal protective equipment
CFF		ppm	parts per million
CPF	R cardio-pulmonary resuscitation	psi	pounds per square inch
DE		RCRA	Resource Conservation and Recovery Act
DO.	T Department of Transportation	RQ	Reportable quantity
DS	0	RTK	Right to Know
EEC	European Economic Community	SARA	Superfund Amendments and Reauthorization Act
FD/	3	STEL	short-term exposure limit
HM	IS Hazardous Materials Information System	SUSDP	Standard for the Uniform Scheduling of Drugs and
			Poisons (Australia)
IAR		TCC	Tagliabue Closed Cup
IDL	3 · · · · · 3 · · · · · · · · · · · · ·	TDG	Transportation of Dangerous Goods
kg	kilogram	TPQ	threshold planning quantity
L	liter	TQ	threshold quantity
LC5		TSCA	Toxic Substances Control Act
LD5		TWA	time-weighted average
LEL		UEL	upper explosive limit
mg	milligram	WES	Workplace Exposure Standard (New Zealand)
mL	milliliter	WHMIS	Workplace Hazardous Material Information System

References: RTECS, CAS Registry, EINECS/ESIS, Casarett & Doull's Toxicology, Goldfranks's Toxicological Emergencies, Manufacturer Information

Hazard statement(s) and Precautionary statement(s)

H221: Flammable gas.

H280: Contains gas under pressure; may explode if heated.

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H332: Harmful if inhaled.

H400: Very toxic to aquatic life.

P201: Obtain special instructions before use.

P210: Keep away from heat, sparks, open flame, hot surfaces - No smoking

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P312: IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell.

P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P302 + P350: IF ON SKIN: Gently wash with plenty of soap and water.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P304 + P341: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P361: Remove/Take off immediately all contaminated clothing.

P410 + P403: Protect from sunlight. Store in a well-ventilated place.

Training advice: None

Additional Information: Replaces all previous editions.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. ChemTel Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. ChemTel Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



Page: 6/6 Expiration Date: 15 November 2014