MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name Gumout 2X Fuel Injector Cleaner

Synonym(s) 800001739 **CAS #** Mixture

Product Use Fuel Injector Cleaner

Manufacturer ITW Permatex Canada
35 Brownridge Road, Unit 1
Halton Hills, ON L7G 0C6 CA

Phone: 1-905-693-8900

Emergency Telephone: 1-877-504-9352

2. Hazards Identification

Emergency Overview WARNING

COMBUSTIBLE LIQUID AND VAPOUR.

EYE AND SKIN IRRITANT.

Potential short term health effects

Routes of exposure Eye, Skin contact, Skin absorption, Inhalation, Ingestion.

Eyes May cause irritation.

Skin May cause irritation. May be absorbed through the skin.

NIOSH - Pocket Guide - Skin Notations

Isopropylbenzene 98-82-8 Potential for dermal absorption

Inhalation May cause respiratory tract irritation.

Ingestion May cause stomach distress, nausea or vomiting. Aspiration of material into lungs can

cause chemical pneumonitis.

Target organs Blood. Eyes. Respiratory system. Skin.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, oedema, drying, defatting and cracking of the skin.

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and

vomiting.

Potential environmental effects See section 12.

3. Composition/Information on Ingredients

Ingredient(s)	CAS#	Percent
Isopropylbenzene	98-82-8	0.1 - 1
1,3,5-Trimethylbenzene	108-67-8	0.5 - 1.5
1,2,4-Trimethylbenzene	95-63-6	1 - 5
Solvent naphtha (petroleum), light aromatic	64742-95-6	3 - 7
Solvent naphtha (petroleum), heavy aliphatic	64742-96-7	60 - 100

4. First Aid Measures

First aid procedures

Eye contact Flush with cool water. Remove contact lenses, if applicable, and continue flushing.

Obtain medical attention if irritation persists.

Skin contact Flush with cool water. Wash with soap and water. Obtain medical attention if irritation

persists.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical

attention.

Ingestion Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce

risk of aspiration. Never give anything by mouth if victim is unconscious, or is

convulsing. Obtain medical attention.

General advice

Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire-fighting Measures

Flammable properties

Combustible by WHMIS criteria.

Extinguishing media

Suitable extinguishing media Small Fires: Dry chemical. Carbon dioxide. Foam. Sand.

Large Fires: Foam. Water Fog.

Unsuitable extinguishing media Do not use water jet.

Protection of firefighters

Specific hazards arising from

Not available

Protective equipment for

firefighers

the chemical

Firefighters should wear full protective clothing including self contained breathing

apparatus.

Hazardous combustion products

Explosion data

Not available

Sensitivity to mechanical

impact

Not available Sensitivity to static discharge

6. Accidental Release Measures

May include and are not limited to: Oxides of carbon.

Personal precautions

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

Prevent entry into waterways, sewers, basements or confined areas.

Environmental precautions Methods for containment

Stop leak if you can do so without risk.

Methods for cleaning up

Remove sources of ignition. Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills in original containers for re-use.

7. Handling and Storage

Handling

Use good industrial hygiene practices in handling this material.

Avoid contact with eyes, skin and clothing.

Keep container tightly closed. Use only with adequate ventilation. Wash thoroughly after handling.

Storage

Keep out of reach of children.

Do not store at temperatures above 120°F (49°C).

Store in a closed container away from incompatible materials.

Keep away from heat and flame.

8. Exposure Controls / Personal Protection

Exposure limit values		
Ingredient(s)	Exposure limit values	
1,2,4-Trimethylbenzene	ACGIH-TLV	
	TWA: 25 ppm	
1,3,5-Trimethylbenzene	ACGIH-TLV	
	TWA: 25 ppm	
Isopropylbenzene	ACGIH-TLV	
	TWA: 50 ppm	
Solvent naphtha (petroleum), heavy aliphatic	ACGIH-TLV	
	TWA: 100 ppm	
Solvent naphtha (petroleum), light aromatic	ACGIH-TLV	
	Not established	

Engineering controlsUse only under good ventilation conditions or with respiratory protection.

Personal protective equipment

Eye/Face protection Wear safety glasses with side shields.

Hand protection Rubber gloves. Confirm with a reputable supplier first.

Skin and body protection As required by employer code.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

AppearanceClearColourLight yellowFormLiquidOdourMild Kerosene

Odour threshold Not available
Physical state Liquid

pHNot availableFreezing pointNot availableBoiling pointNot availablePour pointNot availableEvaporation RateNot available

Flash point 80.56 °C (177.00 °F) Setaflash Closed Tester

Auto-ignition temperature Not available Flammability limits in air, lower, % Not available

by volume

Flammability Limits in Air, Upper, % Not available

by Volume

Vapour pressureNot availableVapour densityNot availableSpecific gravity0.78 - 0.82Octanol/water coefficientNot available

10. Stability and Reactivity

Reactivity None known.

Possibility of hazardous reactions Hazardous polymerisation does not occur.

Chemical stability Stable under recommended storage conditions.

#22201 Page 3 of 6 Issue date 01-Dec-2011

Conditions to avoid Heat, open flames, static discharge, sparks and other ignition sources. Do not mix with

other chemicals.

Incompatible materials

None known.

Hazardous decomposition products May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Component analysis - LC50	
Ingredient(s)	LC50
1,2,4-Trimethylbenzene	3661 ppm rat
1,3,5-Trimethylbenzene	24 mg/m3/4H rat
Isopropylbenzene	8000 mg/l/4h rat
Solvent naphtha (petroleum), heavy aliphatic	Not available
Solvent naphtha (petroleum), light aromatic	5.2 mg/l/4h rat
Component analysis - Oral LD50	
Ingredient(s)	LD50
1,2,4-Trimethylbenzene	3280 mg/kg rat
1,3,5-Trimethylbenzene	23000 mg/kg rat
Isopropylbenzene	1400 mg/kg rat
Solvent naphtha (petroleum), heavy aliphatic	2500 mg/kg rat
Solvent naphtha (petroleum), light aromatic	4700 mg/kg rat

Effects of acute exposure

Eye May cause irritation.

Skin May cause irritation. May be absorbed through the skin.

NIOSH - Pocket Guide - Skin Notations

Isopropylbenzene 98-82-8 Potential for dermal absorption

Inhalation May cause respiratory tract irritation.

Ingestion May cause stomach distress, nausea or vomiting. Aspiration of material into lungs can

cause chemical pneumonitis.

Sensitisation Non-hazardous by WHMIS criteria.

Chronic effects Non-hazardous by WHMIS criteria.

Carcinogenicity Contains a potential carcinogen. Isopropylbenzene - IARC group 2B (possibly

carcinogenic)

MutagenicityNon-hazardous by WHMIS criteria.Reproductive effectsNon-hazardous by WHMIS criteria.TeratogenicityNon-hazardous by WHMIS criteria.

Name of Toxicologically Synergistic Not available

Products

12. Ecological Information

EcotoxicityComponents of this product have been identified as having potential environmental

concerns.

Ecotoxicity - Freshwater Algae - Acute Toxicity Data

Isopropylbenzene 98-82-8 72 Hr EC50 Pseudokirchneriella subcapitata: 2.6 mg/L

Ecotoxicity - Freshwater Fish - Acute Toxicity Data

1,2,4-Trimethylbenzene 95-63-6 96 Hr LC50 Pimephales promelas: 7.19-8.28 mg/L [flow-through]

1,3,5-Trimethylbenzene 108-67-8 96 Hr LC50 Pimephales promelas: 3.48 mg/L

Isopropylbenzene 98-82-8 96 Hr LC50 Pimephales promelas: 6.04-6.61 mg/L [flow-through]; 96 Hr LC50

Oncorhynchus mykiss: 4.8 mg/L [flow-through]; 96 Hr LC50 Oncorhynchus mykiss: 2.7

mg/L [semi-static]; 96 Hr LC50 Poecilia reticulata: 5.1 mg/L [semi-static]

96 Hr LC50 Oncorhynchus mykiss: 9.22 mg/L

Solvent naphtha (petroleum), light 64742-95-6

aromatic

Ecotoxicity - Water Flea - Acute Toxicity Data

1,2,4-Trimethylbenzene95-63-648 Hr EC50 Daphnia magna: 6.14 mg/L1,3,5-Trimethylbenzene108-67-824 Hr EC50 Daphnia magna: 50 mg/L

Isopropylbenzene 98-82-8 48 Hr EC50 Daphnia magna: 0.6 mg/L; 48 Hr EC50 Daphnia magna: 7.9 - 14.1 mg/L

[Static]

Solvent naphtha (petroleum), light 64742-95-6 48 Hr EC50 Daphnia magna: 6.14 mg/L

aromatic

Persistence and degradability Not available Bioaccumulation/accumulation Not available Not available Mobility in environmental media **Environmental effects** Not available Not available Aquatic toxicity Partition coefficient Not available Chemical fate information Not available Other adverse effects Not available

13. Disposal Considerations

Disposal instructions

Waste from residues / unused

products

Not available

Contaminated packaging Not available

14. Transport Information

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Review federal, provincial, and local government requirements prior to disposal.

Canada - WHMIS - Ingredient Disclosure List

 1,2,4-Trimethylbenzene
 95-63-6
 0.1 %

 1,3,5-Trimethylbenzene
 108-67-8
 0.1 %

 Isopropylbenzene
 98-82-8
 1 %

WHMIS classification Class B - Division 3 - Combustible Liquid, Class D - Division 2A, 2B

WHMIS status Controlled

WHMIS labeling





#22201 Page 5 of 6 Issue date 01-Dec-2011

Inventory Status

Inventory Name On Inventory (Yes/No)* Country(s) or region


Canada Domestic Substances List (DSL) Yes Canada Non-Domestic Substances List (NDSL) No

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the

use of or reliance on any information contained in this document.

Issue date 01-Dec-2011 01-Nov-2011 **Effective Date** 01-Nov-2014 **Expiry Date**

Dell Tech Laboratories Ltd. (519) 858-5021 Prepared by

Other Information For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.

This MSDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.