MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name Gumout 2X Regane High Mileage Fuel System Cleaner

 Synonym(s)
 800001742

 CAS #
 Mixture

Product Use Fuel System Cleaner

Manufacturer ITW Permatex Canada
35 Brownridge Road, Unit 1
Halton Hills, ON L7G 0C6 CA

Phone: 1-905-693-8900

Emergency Telephone: 1-877-504-9352

2. Hazards Identification

Emergency Overview CAUTION

COMBUSTIBLE LIQUID AND VAPOUR.

MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes May cause irritation.

Skin May cause irritation.

Inhalation May cause respiratory tract irritation.

Ingestion May cause stomach distress, nausea or vomiting.

Target organs Eyes. Skin. Respiratory system.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, oedema, drying, defatting and cracking of the skin.

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and

vomiting.

Potential environmental effects Not available

3. Composition/Information on Ingredients

Ingredient(s)	CAS#	Percent
Solvent naphtha (petroleum), heavy aliphatic	64742-96-7	15 - 40
Alkoxyl long-chain alkyl amide HMIRC # 8465	Proprietary	3 - 7

4. First Aid Measures

First aid procedures

Eye contact Flush with cool water. Remove contact lenses, if applicable, and continue flushing.

Obtain medical attention if irritation persists.

Skin contact Flush with cool water. Wash with soap and water. Obtain medical attention if irritation

persists.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical

attention.

Ingestion Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce

risk of aspiration. Never give anything by mouth if victim is unconscious, or is

convulsing. Obtain medical attention.

General advice Keep away from sources of ignition. No smoking. If you feel unwell, seek medical

advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of

children.

5. Fire-fighting Measures

Flammable properties Combustible by WHMIS criteria.

Extinguishing media

Suitable extinguishing media Dry chemical. Carbon dioxide. Foam.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from

the chemical

Not available

Protective equipment for

firefighers

Firefighters should wear full protective clothing including self contained breathing

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

apparatus.

Hazardous combustion products

Explosion data

Sensitivity to mechanical

impact

Not available

Sensitivity to static discharge

Not available

6. Accidental Release Measures

Personal precautions Keep unnecessary personnel away. Do not touch or walk through spilled material. Do

not touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

Environmental precautions Methods for containment

Methods for cleaning up

Prevent entry into waterways, sewers, basements or confined areas.

Stop leak if you can do so without risk.

Remove sources of ignition. Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills in

original containers for re-use.

7. Handling and Storage

Handling Use good industrial hygiene practices in handling this material.

Avoid contact with eyes and skin.

Avoid breathing vapours or mists of this product.

Wash thoroughly after handling. Keep out of reach of children.

Keep away from heat and flame.

Store in a closed container away from incompatible materials.

Do not store at temperatures above 120°F (49°C).

8. Exposure Controls / Personal Protection

Exposure limit values

Storage

Ingredient(s) Exposure limit values

Alkoxyl long-chain alkyl amide HMIRC # 8465 ACGIH-TLV

Not established

Solvent naphtha (petroleum), heavy aliphatic

ACGIH-TLV

TWA: 100 ppm

Engineering controls General ventilation normally adequate.

Personal protective equipment

Eye/Face protection Wear safety glasses with side shields.

Hand protection Rubber gloves. Confirm with a reputable supplier first.

Skin and body protection As required by employer code.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

not out of annia viden hands solote steams and immediately alter handing the product

#22204 Page 2 of 5 Issue date 31-Jan-2012

9. Physical and Chemical Properties

Appearance Clear

Colour Light yellow to amber

Form Liquid

Odour Mild Kerosene
Odour threshold Not available
Physical state Liquid

pH Not available
 Freezing point Not available
 Boiling point Not available
 Pour point Not available
 Evaporation Rate Not available

Flash point 84.45 °C (184.01 °F) Setaflash Closed Tester

Auto-ignition temperature Not available Flammability limits in air, lower, % Not available

by volume

Flammability Limits in Air, Upper, % Not available

by Volume

Vapour pressureNot availableVapour densityNot availableSpecific gravity0.85 - 0.89Octanol/water coefficientNot available

10. Stability and Reactivity

Reactivity None known.

Possibility of hazardous reactions Hazardous polymerisation does not occur.

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Heat, open flames, static discharge, sparks and other ignition sources. Do not mix with

other chemicals.

Incompatible materials Acids. Oxidizers.

Hazardous decomposition products May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50	
Alkoxyl long-chain alkyl amide HMIRC # 8465	Not available	
Solvent naphtha (petroleum), heavy aliphatic	Not available	
Component analysis - Oral LD50		
Ingredient(s)	LD50	
Alkoxyl long-chain alkyl amide HMIRC # 8465	8610 mg/kg rat	

2500 mg/kg rat

Effects of acute exposure

Solvent naphtha (petroleum), heavy aliphatic

Eye May cause irritation.

Skin May cause irritation.

Inhalation May cause respiratory tract irritation.

Ingestion May cause stomach distress, nausea or vomiting.

SensitisationNon-hazardous by WHMIS criteria.Chronic effectsNon-hazardous by WHMIS criteria.CarcinogenicityNon-hazardous by WHMIS criteria.MutagenicityNon-hazardous by WHMIS criteria.

#22204 Page 3 of 5 Issue date 31-Jan-2012

Reproductive effects
Non-hazardous by WHMIS criteria.

Teratogenicity
Non-hazardous by WHMIS criteria.

Name of Toxicologically Synergistic Not available

Products

12. Ecological Information

Ecotoxicity Not available Not available Persistence and degradability Bioaccumulation/accumulation Not available Mobility in environmental media Not available Not available **Environmental effects** Not available Aquatic toxicity Not available Partition coefficient Not available Chemical fate information Not available Other adverse effects

13. Disposal Considerations

Disposal instructions

Review federal, provincial, and local government requirements prior to disposal.

Waste from residues / unused products

Not available

. Contaminated packaging

Not available

14. Transport Information

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS classification

Class B - Division 3 - Combustible Liquid, Class D - Division 2B

WHMIS status
WHMIS labeling

Controlled





Inventory Status

Country(s) or region Inventory Name On Inventory (Yes/No)*


CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)No

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information







Disclaimer Information contained herein was obtained from sources considered technically accurate

and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the

use of or reliance on any information contained in this document.

 Issue date
 31-Jan-2012

 Effective Date
 01-Nov-2011

 Expiry Date
 01-Nov-2014

Prepared by Dell Tech Laboratories Ltd. (519) 858-5021

Other Information For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.

This MSDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.