#### MATERIAL SAFETY DATA SHEET

### 1. Product and Company Identification

Product Name Gumout Octane Booster

**Synonym(s)** 800001860 **CAS #** Mixture

Product Use Octane Booster

Manufacturer ITW Permatex Canada

35 Brownridge Road, Unit 1 Halton Hills, ON L7G 0C6 CA Phone: 1-905-693-8900

Emergency Telephone: 1-877-504-9352

#### 2. Hazards Identification

Emergency Overview WARNING

COMBUSTIBLE LIQUID AND VAPOUR.

EYE AND SKIN IRRITANT.

Potential short term health effects

**Routes of exposure** Eye, Skin contact, Inhalation, Ingestion.

Eyes May cause irritation.

Skin May cause irritation.

**Inhalation** May cause respiratory tract irritation.

Ingestion May cause stomach distress, nausea or vomiting. Aspiration of material into lungs can

cause chemical pneumonitis.

Target organs Eyes. Skin. Respiratory system.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, oedema, drying, defatting and cracking of the skin.

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and

vomiting.

Potential environmental effects See section 12.

# 3. Composition/Information on Ingredients

Ingredient(s)	CAS#	Percent
1,3,5-Trimethylbenzene	108-67-8	0.1 - 1
1,2,4-Trimethylbenzene	95-63-6	0.1 - 1
Solvent naphtha (petroleum), heavy aliphatic	64742-96-7	60 - 100

#### 4. First Aid Measures

First aid procedures

Eye contact Flush with cool water. Remove contact lenses, if applicable, and continue flushing.

Obtain medical attention if irritation persists.

**Skin contact** Flush with cool water. Wash with soap and water. Obtain medical attention if irritation

persists.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical

attention.

**Ingestion** Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce

risk of aspiration. Never give anything by mouth if victim is unconscious, or is

convulsing. Obtain medical attention.

General advice Keep away from sources of ignition. No smoking. If you feel unwell, seek medical

advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of

children.

5. Fire-fighting Measures

Flammable properties

Combustible by WHMIS criteria.

Extinguishing media

Suitable extinguishing media Small Fires: Dry chemical. Carbon dioxide. Sand.

Large Fires: Water spray, fog or regular foam.

Unsuitable extinguishing media Do not use water jet.

Protection of firefighters

Specific hazards arising from

the chemical

Not available

Protective equipment for

firefighers

Firefighters should wear full protective clothing including self contained breathing

apparatus.

Hazardous combustion products

**Explosion data** 

May include and are not limited to: Oxides of carbon.

Sensitivity to mechanical

impact

Not available

Sensitivity to static discharge

Not available

#### 6. Accidental Release Measures

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do Personal precautions

not touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

Prevent entry into waterways, sewers, basements or confined areas.

**Environmental precautions** 

Methods for containment

Stop leak if you can do so without risk.

Remove sources of ignition. Before attempting clean up, refer to hazard data given Methods for cleaning up

above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills in

original containers for re-use.

# 7. Handling and Storage

Handling Use good industrial hygiene practices in handling this material.

Avoid contact with eyes, skin and clothing.

Keep container tightly closed. Use only with adequate ventilation. Wash thoroughly after handling.

Storage Keep out of reach of children.

Do not store at temperatures above 120°F (49°C).

Store in a closed container away from incompatible materials.

TWA: 25 ppm

Keep away from heat and flame.

# 8. Exposure Controls / Personal Protection

**Exposure limit values** 

Ingredient(s) **Exposure limit values** 

1,2,4-Trimethylbenzene **ACGIH-TLV** TWA: 25 ppm

1,3,5-Trimethylbenzene **ACGIH-TLV** 

Solvent naphtha (petroleum), heavy aliphatic **ACGIH-TLV** 

TWA: 100 ppm

Use only under good ventilation conditions or with respiratory protection. **Engineering controls** 

Personal protective equipment

**Eye/Face protection** Wear safety glasses with side shields.

Hand protection PVC, Neoprene or Nitrile rubber. Gloves. Confirm with a reputable supplier first.

05-Dec-2011 #22205 Page 2 of 5 Issue date

Skin and body protection

As required by employer code.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

#### 9. Physical and Chemical Properties

AppearanceClearColourAmberFormLiquid

Odour Mild Kerosene
Odour threshold Not available

Physical state Liquid

pH Not available
Freezing point Not available
Boiling point Not available
Pour point Not available
Evaporation Rate Not available

Flash point 86.67 °C (188.00 °F) Setaflash Closed Tester

Auto-ignition temperature Not available Flammability limits in air, lower, % Not available

by volume

Flammability Limits in Air, Upper, % Not available

by Volume

Vapour pressureNot availableVapour densityNot availableSpecific gravity0.81 - 0.85Octanol/water coefficientNot available

## 10. Stability and Reactivity

Reactivity None known.

Possibility of hazardous reactions Hazardous polymerisation does not occur.

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Heat, open flames, static discharge, sparks and other ignition sources. Do not mix with

other chemicals.

Incompatible materials None known.

Hazardous decomposition products May include and are not limited to: Oxides of carbon.

### 11. Toxicological Information

Component analysis - LC50	
Ingredient(s)	LC50
1,2,4-Trimethylbenzene	3661 ppm rat
1,3,5-Trimethylbenzene	24 mg/m3/4H rat
Solvent naphtha (petroleum), heavy aliphatic	Not available
Component analysis - Oral LD50	
Ingredient(s)	LD50
1,2,4-Trimethylbenzene	3280 mg/kg rat
1,3,5-Trimethylbenzene	23000 mg/kg rat
Solvent naphtha (petroleum), heavy aliphatic	2500 mg/kg rat

Effects of acute exposure

EyeMay cause irritation.SkinMay cause irritation.

**Inhalation** May cause respiratory tract irritation.

Ingestion May cause stomach distress, nausea or vomiting. Aspiration of material into lungs can

cause chemical pneumonitis.

Sensitisation
Non-hazardous by WHMIS criteria.
Chronic effects
Non-hazardous by WHMIS criteria.
Carcinogenicity
Non-hazardous by WHMIS criteria.
Mutagenicity
Non-hazardous by WHMIS criteria.
Reproductive effects
Non-hazardous by WHMIS criteria.
Teratogenicity
Non-hazardous by WHMIS criteria.

Name of Toxicologically Synergistic Not available

**Products** 

# 12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental

concerns.

**Ecotoxicity - Freshwater Fish - Acute Toxicity Data** 

1,2,4-Trimethylbenzene 95-63-6 96 Hr LC50 Pimephales promelas: 7.19-8.28 mg/L [flow-through]

1,3,5-Trimethylbenzene 108-67-8 96 Hr LC50 Pimephales promelas: 3.48 mg/L

**Ecotoxicity - Water Flea - Acute Toxicity Data** 

1,2,4-Trimethylbenzene95-63-648 Hr EC50 Daphnia magna: 6.14 mg/L1,3,5-Trimethylbenzene108-67-824 Hr EC50 Daphnia magna: 50 mg/L

Persistence and degradability Not available Not available Bioaccumulation/accumulation Not available Mobility in environmental media Not available **Environmental effects** Not available Aquatic toxicity Partition coefficient Not available Chemical fate information Not available Other adverse effects Not available

### 13. Disposal Considerations

**Disposal instructions**Review federal, provincial, and local government requirements prior to disposal.

Waste from residues / unused

products

Not available

Contaminated packaging Not available

# 14. Transport Information

#### **Transportation of Dangerous Goods (TDG - Canada)**

Not regulated as dangerous goods.

# 15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Controlled

Products Regulations and the MSDS contains all the information required by the

Controlled Products Regulations.

Canada - WHMIS - Ingredient Disclosure List

 1,2,4-Trimethylbenzene
 95-63-6
 0.1 %

 1,3,5-Trimethylbenzene
 108-67-8
 0.1 %

WHMIS classification Class B - Division 3 - Combustible Liquid, Class D - Division 2B

WHMIS status Controlled

WHMIS labeling





#22205 Page 4 of 5 Issue date 05-Dec-2011

#### **Inventory Status**

**Inventory Name** On Inventory (Yes/No)\* Country(s) or region


Canada Domestic Substances List (DSL) Yes Canada Non-Domestic Substances List (NDSL) No

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

#### 16. Other Information

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





**Disclaimer** 

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the

use of or reliance on any information contained in this document.

Issue date 05-Dec-2011 01-Nov-2011 **Effective Date** 01-Nov-2014 **Expiry Date** 

Dell Tech Laboratories Ltd. (519) 858-5021 Prepared by

Other Information For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.

This MSDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.