

Permatex Canada, Inc.  
 8450 Lawson Road, Unit 1  
 Milton, ON Canada L9T 0A4  
 Telephone: 1-87-Permatex  
 (877) 376-2839  
 Urgence: 800-255-3924 (ChemTel)

## Canadian Workplace Hazardous Materials Information System Material Safety Data Sheet

### I. PRODUCT IDENTIFICATION

**Product Name:** 95208 NO TOUCH AUTO GLASS STRIPPER 8 FL.OZ  
**Item No:** GS8-12  
**Product Type:** Cleaner

### II. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight%	LD50/oral/rat	LC50/inhalation/rat	ACGIH; TLV-TWA
WATER 7732-18-5	35-45	not available	not available	
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT 64742-47-8	35-45	>5 g/kg	>5.2 mg/L/4H	
CALCINED DIATOMACEOUS EARTH 91053-39-3	<10	not available	not available	
ALUMINUM OXIDE 1344-28-1	<10	>5000 mg/kg	not available	
ETHYLENE GLYCOL 107-21-1	<5	4000 mg/kg	not available	
BENZENESULFONIC ACID 90218-35-2	<5	not available	not available	

### III. PHYSICAL DATA

**Physical State/Appearance:** Brown liquid  
**Odour & Odour Threshold:** Oily odour  
**Specific Gravity:** 1.0  
**Evaporation Rate:** <1 (butyl acetate = 1)  
**Vapour Pressure:** Not determined  
**Vapour Density:** Heavier than air  
**Freezing Point:** Not determined  
**pH:** 6.5  
**Octanol/Water Coefficient:** Not determined  
**Boiling Point:** 100°C (212°F)

### IV. FIRE AND EXPLOSIVE DATA

**Recommended Extinguishing Media:** Carbon Dioxide, Dry Chemicals, Foam.  
**Hazardous Combustion Products:** Oxides of carbon  
**Sensitivity to Static Discharge:** Sensitivity to static discharge is not expected.  
**Conditions of Flammability:** None anticipated.  
**Flash Point/Range:** >95°C COC  
**Autoignition Temperature:** Not determined  
**Upper Explosive Limit:** Not determined  
**Lower Explosive Limit:** Not determined

### V. REACTIVITY DATA

**Conditions Causing Chemical Instability:** Stable under normal conditions of use  
**Materials to avoid:** Strong oxidizers, Strong bases  
**Conditions of Reactivity:** None  
**Hazardous Decomposition Products:** Carbon oxides

### VI. HAZARDS IDENTIFICATION

**Primary Routes of Exposure:** Eye and skin contact, ingestion, inhalation  
**Existing Conditions Aggravated by Exposure:** Preexisting eye, skin and respiratory disorders

## **VI. HAZARDS IDENTIFICATION**

### **Toxicity Information: (See Effects of Acute Exposure to Product)**

<b>Effects of Acute Exposure:</b>	This product contains Ethylene glycol ethers which may be harmful in high concentrations. Ingestion may cause abdominal pain, vomiting. Inhaling may cause mild irritation to the nose, throat and respiratory tract. May cause eye and skin irritation.
<b>Effects of Chronic Exposure:</b>	Central Nervous System Depression: signs/symptoms can include headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsion.
<b>Irritancy of Product:</b>	See (Effects of Acute Exposure to Product)
<b>Sensitization to Product:</b>	<b>(See Effects of Acute Exposure to Product)</b>
<b>Carcinogenicity:</b>	<b>(See Effects of Chronic Exposure to Product)</b>
<b>Reproductive Toxicity:</b>	<b>(See Effects of Chronic Exposure to Product)</b>
<b>Teratogenicity:</b>	<b>(See Effects of Chronic Exposure to Product)</b>
<b>Mutagenicity:</b>	<b>(See Effects of Chronic Exposure to Product)</b>
<b>Toxicologically Synergistic Products:</b>	None known
<b>WHMIS Hazard Class:</b>	D2B TOXIC MATERIALS

## **VII. PREVENTATIVE MEASURES**

### **Personal Protection**

<b>Eyes:</b>	Safety glasses.
<b>Skin:</b>	Neoprene or nitrile gloves recommended.
<b>Ventilation:</b>	General; local exhaust ventilation as necessary to control any air contaminants to within their exposure limits (or to the lowest feasible levels when limits have not been established) during the use of this product. In case of insufficient ventilation, wear an organic vapor respirator.
<b>Engineering Controls:</b>	In case of insufficient ventilation, wear an organic vapor respirator.
<b>Spill Procedures:</b>	Eliminate all sources of ignition. Absorb spill or leak with sand or cloth. Sweep or shovel into an appropriate waste container until disposal. Flush spill or leak area with water.
<b>Protection of Man and Environment:</b>	Follow Canadian and local regulations for disposal.
<b>Handling Procedures and Equipment:</b>	Use with adequate ventilation. Avoid breathing vapours. Use good personal hygiene. Avoid smoking, eating or drinking during use. Wash with soap and water after handling.
<b>Special Handling Information:</b>	Avoid prolonged breathing of vapor. Keep away from eyes. Avoid prolonged contact with skin. Do not smoke while using. Wash hands after use. Store in a cool, dry, well-ventilated area. Keep away from children.

## **VIII. FIRST AID MEASURES**

<b>Ingestion:</b>	Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.
<b>Inhalation:</b>	Move to fresh air in case of accidental inhalation of vapours. If symptoms persist, call a physician.
<b>Skin Contact:</b>	Remove contaminated clothing. Wash area with soap and water. If irritation persists, seek medical attention.
<b>Eye Contact:</b>	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

## **IX. SHIPPING INFORMATION**

### **Canadian Transportation of Dangerous Goods**

<b>Proper Shipping Name:</b>	Not regulated
<b>Hazard Class:</b>	None
<b>UN/ID No:</b>	None

### **IATA**

<b>Proper Shipping Name:</b>	Not regulated
<b>Class or Division:</b>	None
<b>UN/ID Number:</b>	None

### **IMDG**

<b>Proper Shipping:</b>	Not regulated
<b>Hazard Class:</b>	None
<b>UN Number:</b>	None

## **X. PREPARATION INFORMATION**

**Estimated HMIS Classification:** HEALTH 1, FLAMMABILITY 1, PHYSICAL HAZARD 0  
HMIS is a registered trademark of the National Paint and Coatings Assn.

**Estimated NFPA Rating:** HEALTH 1, FLAMMABILITY 1, REACTIVITY 0  
NFPA is a registered trademark of the National Fire Protection Assn.

**Product Name: 95208 NO TOUCH AUTO GLASS  
STRIPPER 8 FL.OZ**

**Item No: GS8-12**

**X. PREPARATION INFORMATION**

**Prepared By:** Denise Boyd, Manager-Environmental, Health & Safety

**Revision Date:** September 02, 2010

**Company:**  
Permatex Canada, Inc. 8450 Lawson Rd. Unit 1, Milton, ON L9T 0A4

**Revision Number:** 7

**Telephone No.:** 1-87-Permatex (877) 376-2839