SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifiers Tire Sealant, Tire Sealant TPMS Safe, Smart Repair™ Tire Kit, 1.1 Moto Repair™, Slime SDS Tire Sealant **GHS** Product Identifiers As Above **Chemical Name** Mixture Trade name As Above CAS No. Mixture EINECS No. Mixture **REACH Registration No.** Not available 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified use(s) Sealant – Sold as separate container or part of kit. Uses advised against Users are recommended to seek further advice. 1.3 Details of the supplier of the safety data sheet Company (United States) Accessories Marketing, Inc. Identification (Canada) **ITW Permatex Canada** Address (United States) 125 Venture Drive, Suite 210, San Luis Obispo, CA 93401 USA (Canada) 35 Brownridge Rd., Unit 1, Halton Hills ON L7G 0C6 Canada (United States) (805) 489-0490 Telephone (905 693-8900 (Tel), (905) 864-8602 (Fax) (Canada) E-Mail (competent person) mailto:brett@slime.com 1.4 Emergency telephone number – ChemTel Inc. Emergency Phone No. (800) 255-3924, (813) 248-0585

	SECTION 2: HAZARDS IDENTIFICATION					
2.1	Classification of the substance or mixture					
2.1.1	GHS Classifications - Not hazardous according to GHS-compliant regulations in Japan, as well as the UN model regulations.					
2.2	Label elements					
	GHS Product IdentifiersHazardNot HazardousSignal word(s)NONEpictogram(s)NoneHazard statement(s)NonePrecautionary statement(s)None					
2.3	Other hazards OSHA Classification (USA): Non-Hazardous under OSHA Hazard Communication Standard. HMIS: Health – 0, Flammability – 0 Reactivity – 0 WHMIS Classification (Canada): Non-Hazardous under WHMIS. Additional Information None					
2.7						
	SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS					
	sification					

GHS Classification				
Hazardous ingredient(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
3.3 Additional	I Information -	For full text of H p	hrases see sec	tion 16. Non-Hazardous ingredients are not listed and make up
the balance	e of the product			

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Not a likely route of exposure. Remove patient from exposure. Keep patient at rest and give oxygen if breathing difficult. If symptoms develop, obtain medical attention.

- Skin Contact Wash exposured areas with soap and warm water. In the unlikely event of irritation, seek medical advice.
- Eye Contact Not a likely route of exposure. Remove any contact lenses. Irrigate with eyewash solution or clean water, holding the eyelids apart, for at least 15 minutes. Obtain immediate medical attention.

R	Revision: 11.01ITW	MATERIA	L SAFETY DATA S Slime SDS Tire Sealant	HEET	Date: 16 November 2011	
			o cause irritation of the gastrointestinal tract. If swallowed, seek iately and show this container or label. Do not induce vomiting. Make ater.			
symptoms and chemical a effects, both acute Delayed an and delayed		d chemical ar	Acute: Ingestion will cause irritation of the gastrointestinal tract. May cause chemical and mechanical eye irritation. Delayed and chronic effects: Expected to be similar to acute exposures.			
		tomatically.				
		SECTION	5: FIRE-FIGHTING MEAS	URES		
		nable. Acrid smoke. N t > 93.3°C / 200°F.	Not Sensitive to mechanical Explosive Limits: NA		static discharge. ition Temperatures: NA	
 5.1 Extinguishing media Suitable Extinguishing Media Unsuitable Extinguishing Media 5.2 Special hazards arising from the 		Extinguish preferably with dr None known.	y chemical, f	oam or water spray.		
		Containers may rupture from exposure to high temperatures,				

- 5.2 Special hazards arising from the substance or mixture
- 5.3 Advice for fire-fighters

Containers may rupture from exposure to high temperatures, releasing contents that may be slippery. A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Extinguish preferably with dry chemical, foam or water spray.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	None.
6.2 6.3	Environmental Precautions Methods and material for containment and cleaning up	None Mix spilled product with sand, then shovel up into covered container. For small spills on hard surfaces, allow substance to harden, then
6.4 6.5	Reference to other sections Additional Information	scrape up and discard. See Also Section 7, 8, 13. None

SECTION 7: HANDLING AND STORAGE

7.1 7.2	Precautions for safe handling Conditions for safe storage, including any incompatibilities Storage Temperature Storage Life Incompatible materials	 Avoid ingestion. Use only in well-ventilated areas. Keep away from oxidizing agents. Do not use or store near heat or open flame. Do not store and transport with oxidizers etc. Ambient Not available Can react violently if in contact with acids, and oxidizing agents.
7.3	Specific end use(s)	Consult the supplier.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m³)	Note:
No hazardous ingredients in reportable quantities under USA, Canada, EU, and UN regulations are present in this product.						
OELs are not available for non-listed components.						

8.1.2 Biological limit value

Limit value type (country of origin)	SUBSTANCE.	CAS No.	Biological limit value	Note:	
No hazardous ingredients in reportable quantities under USA, Canada, EU, and UN regulations are present in this product.					



Revision: 11.01ITW

MATERIAL SAFETY DATA SHEET

Slime SDS Tire Sealant

8.1.3 PNECs and DNELs

No PNECs or DNELs are available for this product. As with all chemical products, users are cautioned to avoid unnecessary exposures.

0.Z.	2.2 Personal protection equipment				
		Respirators	Usually Not Needed.		
	8	Eye Protection	Safety glasses are suggested as good practice.		
		Gloves	Protective gloves are usually not needed; if chosen, nitrile or neoprene are suggested. Latex gloves should not be worn.		
Body protection			Usually Not Needed.		
		Engineering Controls	No special controls required.		
		Other	Clean contaminated equipment.		

8.2.2 Personal protection equipment

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on bas	c physical and chemical properties				
	Appearance	Paste	Color	Various Colors		
	Odor	Slight	Odor Threshold (ppm)	Not available		
	Melting Point (°C) / Freezing Point (°C) Flash Point (°C)	< -30°F / -34.4°C	Boiling point/boiling range (°C):	> 220°F / 104.4°C		
		> 200°F / 93°C	Explosive limit ranges	Not Flammable		
	Auto Ignition Temperature (°C)	Not Flammable	Decomposition Temperature (°C)	> 302°F / 150°C		
	Explosive properties	Not Flammable	Oxidizing properties	Not an Oxidizer		
	Flammability (solid, gas)	Not Flammable	pH (Value)	8.8 ± 1.0		
	Evaporation rate	< water	Vapor Pressure (mm Hg)	Not available		
	Vapor Density (Air=1)	> 1	Density (g/ml)	1.16 ± 0.1		
	Solubility (Water)	Emulsifies.	Solubility (Other)	Not available		
	Partition Coefficient (n-Octanol/water)	Not available	Viscosity	Paste		
9.2	Other information	Volatile Organic Chem	nical (VOC) Content: < 5% by weigh	t.		

Volatile Organic Chemical (VOC) Content: < 5% by weight.

SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	May react with incompatible materials.
10.2	Chemical stability	Stable under normal conditions. Avoid temperature extremes
10.3	Possibility of hazardous reactions	Can react violently if in contact with acids and oxidizing agents.
10.4	Conditions to avoid	Avoid temperature extremes
10.5	Incompatible materials	Can react violently if in contact with acids and oxidizing agents.
10.6	Hazardous Decomposition Product(s)	Carbon monoxide, Carbon dioxide, Nitrogen Oxides, Sulfur Oxides. Thermal decomposition will evolve irritant vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

SUBSTANCE.	CAS No.	LD₅₀ (Oral, Rat)	LC₅₀ (Inhalation, Rat)	LD₅₀ (Dermal, Rat)
No hazardous ingredients in reportable quantities under USA, Canada, EU, and UN regulations are present in this product.				



Revision: 11.01ITW

MATERIAL SAFETY DATA SHEET

Slime SDS Tire Sealant

11.1 Information on toxicological effects

11.1.2 Mixtures

Acute toxicity and	Ingestion	Not Known. Product may be irritating to
Exposure Effects	Inhalation	gastrointestinal tract. Not Known. Not a likely route of exposure.
	Skin Contact	Not Known. Prolonged contact may result in mild irritation.
	Eye Contact	Not Known. Contact may result in mechanical and chemical irritation.
Irritation		May cause irritation to eyes; prolonged exposure may result in mild skin exposure.
Corrosivity		None Expected.
Repeated dose toxic	city	Expected to be similar to single exposures.
Carcinogenicity		No data.
Mutagenicity		No data.
Toxicity for reproduc	ction	No data.
Other information		None

11.2 Other information

SECTION 12: ECOLOGICAL INFORMATION

- 12.1 Toxicity Not expected to be harmful to aquatic or soil environments. 12.2 Persistence and degradability Partially persistent 12.3 **Bioaccumulative potential** Particulate material may bioaccumulate with multiple spills. 12.4 Mobility in soil Variable mobility; dependent upon component. 12.5 Results of PBT and vPvB assessment No data. 12.6 Other adverse effects No data. **SECTION 13: DISPOSAL CONSIDERATIONS** 13.1 Waste treatment methods Disposal should be in accordance with local, state or national legislation. Containers must not be punctured or destroyed by burning, even when empty. None
- 13.2 Additional Information

SECTION 14: TRANSPORT INFORMATION

Land transport (Within USA) (c)(d)

Land transport (ADR/RID) (c)(d)

UN number		,)(u)	UN number			
	Proper Shipping Name	Not classified as dangerous for transport.	Proper Shipping Name	Not classified as dangerous for transport.		
	Transport hazard class(es)	None	Transport hazard class(es)	None		
	Packing Group	None	Packing Group	None		
	Hazard label(s)	None	Hazard label(s)	None		
	Environmental hazards	None	Environmental hazards	None		
	Special precautions for user	None	Special precautions for user	None		
Sea transport (IMDG) (c)(d)		Air transport (ICAO/IATA) (c) (d)				
	UN number		UN number			
	Proper Shipping Name	Not classified as dangerous for transport.	Proper Shipping Name	Not classified as dangerous for transport.		
	Transport hazard class(es)	None	Transport hazard class(es)	None		
	Packing Group	None	Packing Group	None		

Marine Pollutant None

Special precautions for user None

(c)– Consult with transport provider.

(d)- Check relevant regulations for Special Provisions.



Environmental hazards

Special precautions for user

None

None

MATERIAL SAFETY DATA SHEET

Slime SDS Tire Sealant

SECTION 15: REGULATORY INFORMATION

15.1.2 National regulations

USA

TSCA (Toxic Substance Control Act)	All chemicals listed.
SARA 311/312 - Hazard Categories	None
SARA 302 - Extremely Hazardous	Listed - None
Substances	
SARA 313 - Toxic Chemicals	Listed - None
CERCLA (Comprehensive Environmental	Listed - None
Response Compensation and Liability Act)	
CAA (Clean Air Act 1990)	Listed - None
CWA (Clean Water Act)	Listed - None
State Right to Know Lists	Listed - None in reportable quantities.
Proposition 65 (California)	Listed None
Canada	

WHMIS Classification Canada (DSL/NDSL) Canada Ingredient Disclosure List (CIDL)

Japan

Japan Fire Service Act

None Components Listed - DSL. Listed – None.

Not classified as flammable/combustible, oxidizing, or reactive. Not-hazardous

15.2 Chemical Safety Assessment

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

LEGEND					
ACGIH	American Conference of Governmental Industrial Hygienists	NA	not applicable, not available		
AICS	Australian Inventory of Chemical Substances	NIOSH	National Institute for Occupational Safety and Health		
ANSI	American National Standards Institute	ND	not determined		
atm	atmosphere (pressure unit)	NFPA	National Fire Prevention Association		
BOD	biological oxygen demand	NTP	National Toxicology Program		
CAS	Chemical Abstracts Service	OC	open cup		
CC	closed cup	OSHA	Occupational Safety and Health Administration		
CDTA	Chemical Drug and Trafficking Act	Part	partition		
COC	Cleveland Open Cup	PEL	permissible exposure limits		
COD	chemical oxygen demand	ppb	parts per billion		
coeff.	coefficient	PPE	personal protective equipment		
CFR	Code of Federal Regulations	ppm	parts per million		
CPR	cardio-pulmonary resuscitation	psi	pounds per square inch		
DEA	Drug Enforcement Agency	RCRA	Resource Conservation and Recovery Act		
DOT	Department of Transportation	RQ	Reportable quantity		
DSCL	Dangerous Substances Classification and Labeling	RTK	Right to Know		
FDA	Food and Drug Administration	SARA	Superfund Amendments and Reauthorization Act		
HMIS	Hazardous Materials Information System	STEL	short-term exposure limit		
IARC	International Agency for Research on Cancer	TCC	Tagliabue Closed Cup		
IDLH	immediate danger to life or health	TDG	Transportation of Dangerous Goods		
kg	kilogram	TPQ	threshold planning quantity		
L	liter	TQ	threshold quantity		
LC50	median lethal concentration	TSCA	Toxic Substances Control Act		
LD50	median lethal dose	TWA	time-weighted average		
LEL	lower explosive limit	UEL	upper explosive limit		
mg	milligram	WES	Workplace Exposure Standard (New Zealand)		
mL	milliliter	WHMIS	Workplace Hazardous Material Information		
			System		

References: RTECS, CAS Registry, EINECS/ESIS, *Casarett & Doull's Toxicology, Goldfranks's Toxicological Emergencies*, Manufacturer Information



MATERIAL SAFETY DATA SHEET Slime SDS Tire Sealant

Hazard statement(s) and Precautionary statement(s)

None

Training advice: None

Additional Information: Replaces all previous editions for USA/Canada.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. ChemTel Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. ChemTel Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

