

Octafluorocyclobutane

#### 1. Product and company identification

Product name	: Octafluorocyclobutane	
Synonym	: Cyclooctafluorobutane, Halon 48, Perfluorocyclobutane, Refrigerant Gas RC318	
Trade name	: Halocarbon C318	
Material uses	: Not available.	
Manufacturer	Praxair Canada Inc. 1 City Centre Drive Suite 1200 Mississauga, ON L5B 1M2	
MSDS #	: E-4671-A	
Validation date	: May 29, 2014.	
Print date	: May 29, 2014.	
In case of emergency	<b>: Emergencies:</b> * 1-800-363-0042 *Call emergency numbers 24 hours a day only for spills, leaks, fire, exposure, or accidents involving this product. For routine information, contact your supplier or Praxair sales representative.	
Product type	: Gas.	

#### 2. Hazards identification

Physical state	Gas.					
Odor	Odourless					
Emergency overview	CAUTION!					
	HIGH PRESSURE GAS. Liquid and gas under pressure. Can cause rapid suffocation. May cause frostbite. May cause dizziness and drowsiness. Sel contained breathing apparatus may be required by rescue workers. Under conditions, this is a colourless, odourless gas.					
	Contains gas under pressure. In a fire or if heated, a pressure increase will occur the container may burst or explode. Do not puncture or incinerate container. Ave breathing gas. Use only with adequate ventilation.					
Routes of entry	Inhalation					
Potential acute health effect						
Inhalation	Asphyxiant. Effects are due to lack of oxygen. Moderate concentrations may cause headaches, drowsiness, dizziness, excitation, excess salivation, vomiting, and unconciousness. Lack of oxygen can kill.					
Ingestion	As this product is a gas, refer to the inhalation section.					
Skin	Contact with rapidly expanding gas may cause burns or frostbite.					
Eyes	Contact with rapidly expanding gas may cause burns or frostbite.					
Potential chronic health eff						
Chronic effects	No known significant effects or critical hazards.					
Carcinogenicity	No known significant effects or critical hazards.					
Mutagenicity	No known significant effects or critical hazards.					
Teratogenicity	No known significant effects or critical hazards.					
<b>Developmental effects</b>	No known significant effects or critical hazards.					
Fertility effects	No known significant effects or critical hazards.					
Target organs	Not available.					
Over-exposure signs/symp						
Inhalation	No specific data.					
Ingestion	No specific data.					
Skin	No specific data.					
5/29/2014.	4671-A Copyright © 2014, Praxair Canada Inc.	1/9				

## 2. Hazards identification

Eyes

: No specific data.

Medical conditions aggravated by overexposure : None known.

See toxicological information (section 11)

# 3. Composition/information on ingredients

### **Canada**

### Name

octafluorocyclobutane

CAS number	<u>%</u>
115-25-3	100

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

### 4. First aid measures

Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin contact	<ul> <li>In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.</li> </ul>
Inhalation	<ul> <li>Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.</li> </ul>
Ingestion	: As this product is a gas, refer to the inhalation section.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
Notes to physician	<ul> <li>No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>

# 5. Fire-fighting measures

Flammability of the product	1	Contains gas under pressure. In a fire or if heated, a pressure increase will occur and he container may burst or explode.	
Extinguishing media			
Suitable	1	Use an extinguishing agent suitable for the surrounding fire.	
Not suitable	1	None known.	
Special exposure hazards	•	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.	
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds carbonyl halides	
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	
Special remarks on fire hazards	:	Not available.	
Special remarks on explosion hazards	:	Not available.	

5/29/2014	4.
-----------	----

#### Accidental release measures 6.

Personal precautions	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Avoid breathing gas. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).			
Environmental precautions	:	Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).			
Methods for cleaning up					
Small spill	:	Immediately contact emergency personnel. Stop leak if without risk.			
Large spill	:	Immediately contact emergency personnel. Stop leak if without risk. Note: see section 1 for emergency contact information and section 13 for waste disposal.			

#### 7. Handling and storage

Handling	: Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Contains gas under pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container.
	Protect cylinder from damage. Never attempt to lift a cylinder by its cap; the cap is intended solely to protect the valve. Never insert an object (e.g., wrench, screwdriver, pry bar) into cap openings; doing so may damage the valve and cause a leak. Use an adjustable strap wrench to remove over-tight or rusted caps. Open valve slowly. If valve is hard to open, discontinue use and contact your supplier. Close valve after each use; keep closed even when empty.
Storage	: Store in accordance with local regulations. Store in a segregated and approved area. Store in a dry, cool and well-ventilated area, away from incompatible materials (see section 10). Keep container tightly closed and sealed until ready for use.
	OTHER HAZARDOUS CONDITIONS OF HANDLING, STORAGE, AND USE: High pressure gas. Use piping and equipment adequately designed to withstand pressures to be encountered. Gas can cause rapid suffocation due to oxygen deficiency. Store and use with adequate ventilation. Close valve after each use; keep closed even when empty. <b>Prevent reverse flow.</b> Reverse flow into cylinder may cause a rupture. Use a check valve or other protective device in any line or piping from the cylinder.

use; keep closed even nay cause a rupture. from the cylinder. **Never work on a pressured system.** If there is a leak, close the cylinder valve. Blow the system down in an environmentally safe manner in compliance with all federal, provincial, and local laws, then repair the leak. Never place a compressed gas cylinder where it may become part of an electrical circuit.

### PRECAUTIONS TO BE TAKEN IN STORAGE:

Store and use with adequate ventilation. Firmly secure cylinders upright to keep them from falling or being knocked over. Screw valve protection cap firmly in place by hand. Store only where temperature will not exceed 52°C/125°F. Store full and empty cylinders separately. Use a first-in, first-out inventory system to prevent storing full cylinders for long periods.

### **RECOMMENDED PUBLICATIONS:**

Additional information on storage, handling, and use of this product is provided in NFPA 55: Standard for the Storage, Use, and Handling of Compressed and liquefied Gases in Portable Cylinders, published by the National Fire Protection Association.

See also Praxair publication P-14-153, Guidelines for Handling Gas Cylinders and Containers. Obtain from your local supplier.

# 8. Exposure controls/personal protection

Occupational exposure limits		TWA	TWA (8 hours)			(15 mins	5)	Ceilin	g		
Ingredient	List name	ppm	mg/m³	Other	ppm	mg/m³	Other	ppm	mg/m³	Other	Notations
No exposure limit value known.											
Consult local authorities for	acceptable	exposure	limits.		1	1					
Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphe or biological monitoring may be required to determine the effectiveness of the ventilatio or other control measures and/or the necessity to use respiratory protective equipment.										
Engineering measures	control w with exp	: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.									
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropria techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showe are close to the workstation location.					riod. Appropriate Wash					
Personal protection											
Respiratory	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Select in accordance with provincial regulations local bylaws or guidelines. Selection should be based on the current CSA standard Z94.4, "Selection, Care, and Use of Respirators." Respirators should also be approved by NIOSH and MSHA.					lection must be uct and the safe ncial regulations A standard					
Hands		all times w									dard should be indicates this is
Eyes	assessm dusts. Se	ent indica	ates this cordan	s is ne ce with	cessar the ci	y to av urrent (	oid exp CSA sta	andard should be used when a risk d exposure to liquid splashes, mists or SA standard Z94.3, "Industrial Eye and s, local bylaws or guidelines.			
Skin	: Personal protective equipment for the body should be selected based on the task b performed and the risks involved and should be approved by a specialist before has this product.										
Environmental exposure controls	comply v fume scr	vith the re	quirem Iters or	ents of engine	f enviro eering	onment modific	tal prote cations	ection to the	legislat	tion. In	ed to ensure they some cases, oment will be
Other protection	trousers	should be Z195, "P	e worn o	outside	e the sh	noes. S	Select ir	n acco	rdance	with th	d. Cuffless le current CSA ocal bylaws or

# 9. Physical and chemical properties

Physical state	: Gas.
Flash point	: Not available.
Burning time	: Not applicable.
Burning rate	: Not applicable.
Auto-ignition temperature	: Not available.
Flammable limits	: Not available.
Color	: Colourless

5/29/2014.

# 9. Physical and chemical properties

Odor	: Odourless
Taste	: Not available.
Molecular weight	: Not applicable.
Molecular formula	: Not applicable.
рН	: Not available.
Boiling/condensation point	: 21.56°F
Melting/freezing point	: Not available.
Critical temperature	: Not available.
Relative density	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Volatility	: Not available.
Odor threshold	: Not available.
Evaporation rate	: Not available.
Viscosity	: Not available.
lonicity (in water)	: Not available.
Dispersibility properties	: Not available.
Solubility	: Not available.
Physical/chemical properties comments	: Not available.
COEFFICIENT OF WATER/OIL DISTRIBUTION:	: Not available.

# 10. Stability and reactivity

Chemical stability	: The product is stable.
Conditions to avoid	: No specific data.
Materials to avoid	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.

# 11. Toxicological information

Acute toxicity					
Product/ingredient name Not available.		Result	Species	Dose	Exposure
Chronic toxicity					
Product/ingredient name Not available.		Result	Species	Dose	Exposure
Irritation/Corrosion					
Product/ingredient name Not available.		Result	Species	Score Exposure	Observation
<u>Sensitizer</u>					
Product/ingredient name		Route of exposure	Species	Result	
Not available.					
<b>Conclusion/Summary</b>	: Not availabl	e.			
Carcinogenicity					
Product/ingredient name Not available.		Result	Species	Dose	Exposure
5/29/2014.	E-4671-A		Copyright © 2014,	Praxair Canada Inc.	5/9

# 11. Toxicological information

Conclusion/Summary Classification	: Nc	ot available.					
Product/ingredient name Not available.		ACGIH	IARC	EPA	NIOSH	NTP	OSHA
Mutagenicity							
Product/ingredient name Not available.		Test		Experime	ent	Result	
Conclusion/Summary	: No	ot available.					
Teratogenicity							
Product/ingredient name		Result	L	Species	Dose	E	xposure
Not available.							
Conclusion/Summary	: Nc	ot available.					
Reproductive toxicity							
Product/ingredient name		Maternal toxicity	Fertility	Development toxin	Species	Dose	Exposure
Not available.		-					
Conclusion/Summary	: No	ot available.					
Synergistic products	: No	ot available.					

Ecotoxicity	: No known significant effe	ects or critical hazard	S.	
Aquatic ecotoxicity				
<b>Product/ingredient name</b> Not available.	Test	Result	Species	Exposure
<b>Conclusion/Summary</b>	: Not available.			
Persistence/degradability				
<b>Product/ingredient name</b> Not available.	Test	Result	Dose	Inoculum
<b>Conclusion/Summary</b>	: Not available.			
Octanol/water partition coefficient	: Not available.			
Bioconcentration factor	: Not available.			
Mobility	: Not available.			
Toxicity of the products of biodegradation	: Not available.			
Other adverse effects	: No known significant effe	ects or critical hazard	S.	

# 13. Disposal considerations

Waste disposal	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Do not puncture or incinerate container. Empty pressure vessels should be returned to the supplier.
Waste stream	:	Not available.
RCRA classification	1	Not available.
Disposal should be in accord	an	ce with applicable regional, national, and local laws and regulations.

## 13. Disposal considerations

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

### 14. Transport information

<b>_</b>						
Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
TDG Classification	1976	Compressed gas, n.o.s (octafluorocyclobutane)	2.2	-		-PRODUCT REPORTABLE QUANTITY (PRQ): Any accidental release in a quantity that could pose a danger to public safety or any sustained release of 10 minutes or more.

PG\* : Packing group

### SPECIAL SHIPPING INFORMATION:

Cylinders should be transported in a secure position, in a well-ventilated vehicle. Cylinders transported in an enclosed, nonventilated compartment of vehicle can present serious safety hazards.

## 15. Regulatory information

United States inventory (TSCA 8b)	: All components are listed or exempted.
WHMIS (Canada)	: Class A: Compressed gas.
Canadian lists	<ul> <li>CEPA Toxic substances: None of the components are listed.</li> <li>Canadian ARET: None of the components are listed.</li> <li>Canadian NPRI: None of the components are listed.</li> <li>Alberta Designated Substances: None of the components are listed.</li> <li>Ontario Designated Substances: None of the components are listed.</li> <li>Quebec Designated Substances: None of the components are listed.</li> </ul>
Canada inventory	: All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

International regulations		
International lists	:	Australia inventory (AICS): All components are listed or exempted. China inventory (IECSC): All components are listed or exempted. Japan inventory: All components are listed or exempted. Korea inventory: All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): All components are listed or exempted.
Chemical Weapons Convention List Schedule I Chemicals	:	Not listed
Chemical Weapons Convention List Schedule II Chemicals	:	Not listed
Chemical Weapons Convention List Schedule III Chemicals	:	Not listed

### 16. Other information

Label	requiremen	ts
Laber	requirement	13

HIGH PRESSURE GAS. Liquid and gas under pressure. Can cause rapid suffocation. May cause frostbite. May cause dizziness and drowsiness. Self-contained breathing apparatus may be required by rescue workers. Under ambient conditions, this is a colourless, odourless gas.

Hazardous Material Information System (U.S.A.)

Health	0
Flammability	0
Physical hazards	2

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

References	<ul> <li>AV-1 Safe Handling and Storage of Compressed Gas</li> <li>P-1 Safe Handling of Compressed Gases in Containers</li> <li>P-14 Accident Prevention in Oxygen-Rich, Oxygen-Deficient Atmosphere</li> <li>SB-2 Oxygen-Deficient Atmospheres</li> <li>V-1 Compressed Gas Cylinder Valve Inlet and Outlet Connections</li> <li>V-7 Standard Method of Determining Cylinder Valve Outlet Connections for Industrial</li> <li>Gas Mixtures</li> <li> Handbook of Compressed Gases, Fifth Edition</li> </ul>
Other special considerations	: Not available.
Date of printing	: 5/29/2014.
Date of issue	: 5/29/2014.
Date of previous issue	: No previous validation.
Version	: 0.03

Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

### STANDARD VALVE CONNECTIONS FOR U.S. AND CANADA:

THREADED: For information on CGA Valves, please contact your Specialty Gas Representative.

PIN-INDEXED YOKE: Not applicable ULTRA-HIGH- CGA-716 INTEGRITY CONNECTION:

Use the proper CGA connections. **DO NOT USE ADAPTERS.** Additional limited-standard connections may apply. See CGA pamphlets V-1 and V-7 listed below.

Ask your supplier about free Praxair safety literature as referred to in this MSDS and on the label for this product. Further information about this product can be found in the following pamphlets published by the Compressed Gas Association, Inc. (CGA), 4221 Walney Road, 5th Floor, Chantilly, VA 20151-2923, Telephone (703) 788-2700, Fax (703) 961-1831, website: www.cganet.com.

### 16. Other information

#### **MIXTURES:**

When two or more gases, or liquefied gases are mixed, their hazardous properties may combine to create additional, unexpected hazards. Obtain and evaluate the safety information for each component before you produce the mixture. Consult an Industrial Hygienist, or other trained person when you make your safety evaluation of the end product. Remember, gases and liquids have properties which can cause serious injury or death.

### For more in-depth information for each component, refer to the pure product MSDS.

# The information contained in this MSDS is generated from technical sources using the Chemmate Mixture MSDS system and the pure-product MSDS for each component. These mixtures are not tested as a whole for chemical, physical, or health effects.

The opinions expressed herein are those of qualified experts within Praxair Canada Inc. We believe that the information contained herein is current as of the date of this Material Safety Data Sheet. Since the use of this information and the conditions of use of the product are not within the control of Praxair Canada Inc., it is the user's obligation to determine the conditions of safe use of the product.

Praxair Canada Inc. requests the users of this product to study this Material Data Sheet (MSDS) and become aware of product hazards and safety information. To promote safe use of this product, a user should (1) notify its employees, agents and contractors of the information on this MSDS and any product hazards and safety nformation, (2) furnish this same information to each of its customers for the product, and (3) request such customers to notify their employees and customers for the product of the same product hazards and safety information.

Praxair and the Flowing Airstream design are trademarks of Praxair Canada Inc.

Other trademarks used herein are trademarks or registered trademarks of their respective owners.

Praxair Canada Inc. 1 City Centre Drive Suite 1200 Mississauga, ON L5B 1M2

