

TOPRING

MATERIAL SAFETY DATA SHEET

PREPARATION INFORMATION

PREPARED ON : December 2009
MSDS NUMBER : 1900 A

MATERIAL IDENTIFICATION : COMPRESSOR OIL

THIS PRODUCT IS NOT REGULATED BY WHMIS

EMERGENCY CANADIAN CENTER : CANUTEC
PHONE NUMBER : (613) 996-6666

COMPOSITION, DANGEROUS GOODS : None

TRANSPORT CLASSIFICATION : None

PHYSICAL DATA :

APPEARANCE & ODOR : Yellow liquid with hydrocarbon odour
ODOR LIMIT (ppm) : 100
MOLECULAR FORMULA : ----
MOLECULAR WEIGHT : ----
PHYSICAL STATE : Liquid
ODOUR THRESHOLD (ppm) : 100
MELTING POINT °C : ----
CONCENTRATION AT SATURATION : ----
SOLUBILITY IN WATER AT SATURATION : ----
PARTICULE SIZE : ----
VAPOR PRESSURE (Kpa, 20°C) : < 1
EVAPORATION RATE (butyl acetate =1) : <1
pH : -----
DENSITY : 0,86 to 0,90
VAPOR DENSITY (air =1) : >1
BOILING POINT : ----
FREEZING POINT : -50°C to 0°C
COEFFICIENT OF WATER/OIL DISTRIBUTION : Insoluble in water

FIRE & EXPLOSION DATA :

FLAMMABILITY CONDITIONS :	None
EXTINGUISHING MEDIA:	Dry chemical products, CO ₂ , 6% foam
FLASH POINT (open vase):	Minimum 190°C
CONDITIONS OF FLAMMABILITY	None
EXPLOSION CONDITIONS	-----
SPECIAL PRECAUTIONS	-----
UPPER FLAMMABLE LIMIT & VOLUME:	-----
LOWER FLAMMABLE LIMIT & VOLUME:	-----
AUTO IGNITION TEMPERATURE :	>300°C
DANGEROUS COMBUSTION PRODUCTS :	CO, CO ₂ , SO ₂
SHOCK EXPLOSIVITY:	No
ELECTRO-STATICS:	No

REACTIVITY :

INSTABILITY CONDITIONS :	Stable
CONDITIONS TO AVOID :	high temperature
MATERIAL TO AVOID :	oxidizing agents and comburants
POLYMERIZATION	-----
HAZARDOUS DECOMPOSITION PRODUCTS :	CO ₂ , SO ₂

FTSS 1900 A

TOXICOLOGICAL PROPERTIES :

SKIN CONTACT :	can cause dermatitis
SKIN ABSORPTION:	can cause dermatitis
EYE CONTACT:	mild irritation
INHALATION :	Mild irritation of throat mucous
CHRONIC OR ACUTE EXPOSURE EFFECTS:	Practically none
EXPOSURE LIMIT (ppm) :	100
CARCINOGENICITY :	None
IRRITANCY, CORROSIVENESS, & SENSITIZATION	-----
TOXIC EFFECTS ON REPRODUCTION :	no information available
TERATOGENICITY :	no information available
MUTAGENICITY :	no information available
INGESTION :	Laxative effect
SYNERGETIC TOXICOLOGIC PRODUCTS:	Unknown

PREVENTIVE MEASURES :

PERSONAL MATERIAL TO USE :	Rubber gloves and safety glasses
SPECIAL TECHNIQUES TO USE :	Electric ventilator
ELIMINATION OF RESIDUALS :	Absorb with porous and chemically inert products
METHODS & EQUIPMENTS FOR HANDLING:	Store away from ignition sources
STEPS TO BE TAKEN IF MATERIAL IS RELEASED	Call local authorities

OR SPILLED :

SHIPPING INSTRUCTIONS :

STORAGE AND HANDLING :

Not regulated by the law on dangerous products
in dry and well-ventilated area

EMERGENCY AND FIRST AID PROCEDURES :

EYES :

copious water flush

SKIN :

water wash

INHALATION :

take indisposed person outside

INGESTION :

DO NOT INDUCE VOMITING, call a physician, give the
person charcoal pills

EMERGENCY :

call QUEBEC ANTI-POISON CENTER

telephone number : 1-800-463-5060

The information contained in this document is given as a guide for the product handling and was written in good faith by competent technical personnel. This information should not be considered as complete because other aspects of handling and uses could be observed. In no case can TOPRING be held responsible for damages, loss and injuries resulting from the use of this product and no warranty whatsoever, tacit or express is awarded by TOPRING. This material safety data sheet is in effect for three (3) years.